

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/239752/2021 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

То

2.

Mumbai Metro Rail Corporation Ltd., S. No. 1 & 4/59 and part 7/59 of Girgaum Division, 'D' ward at Junction of Jagannath Shankar Sheth and Dr. Babasaheb Jaykar Marg, Mumbai.

> Subject : Environmental Clearance for Resettlement of project affected families by Kalbadevi – Girgaum metro station of Mumbai Metro Line – 3 on plot bearing C.S. No, 1 & 4/59 and part 7/59 of Girgaum Division in 'D' ward at Junction of Jagannath Shankar Sheth and Dr. Babasaheb Jaykar Marg, Mumbai by Mumbai Metro Rail Corporation Ltd.

Reference : Application no. SIA/MH/MIS/239752/2021

This has reference to your communication on the above mentioned subject. The proposal was considered by the SEAC-2 in its 160th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 236th (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA).

Sr.	Details	Details						
No.								
1	Plot Area	4613.55 Sq.mtrs.						
2 .	FSI	25,942.85 Sq.Mtrs.						
3	Non-FSI	33125.58 m ²						
4	Total Proposed	68152.44 m ²						
	built-up area (FSI +							
	Non FSI)							
5	Building	Main Building comprises of 3 basements + Gr. Floor & 1st (comm.)						
	Configuration	+ 3rd to 6th floor (comm.) +7th to 9th (services) + 10th to 48th (Resi.) & Ancillary Building from 25.80 m. i.e., from 5th floor to						
	· · · · · · · · · · · · · · · · · · ·							
		14th floor (Comm.) + LMR + OHT.						
		Height of building 156.60 m						
6	Total No. Tenements	Residential						
	& Shops	Rehab:419, Sale: 57						
		Commercial +Ancillary Building						
		Rehab:130, Sale: 30						
7	Total Population	Sr. Buildings Occupancy (Nos.)						
		No.BuildingsOccupancy (Nos.)						

Brief Information of the project submitted by you is as below:-

			1.	G3 (Compo	site Resident	ial+		3015
			commercial +Ancillary)					
Ì	8 🔪	Total Water		Commercial	Water		en de la composition de la composition de la composition de la	· · · · · · · · · · · · · · · · · · ·
	0 🔍	Requirement	Sr.	Description	quantity	Sour	e of w	ater supply
×.		Requirement	No.	Description	in KLD	Sour		ater suppry
	i i			Construction	26			
	1997 - E		1.	phase	20		Tanker	Water
				phase				
		Tittere	Opera	ation Phase			/	
		and the second se		K G C S		Flus	ning	Total Water
-		A. C.		Building	Domestic	an	d	demand
				Dunuing	(KLD)	Garde	ening	(KLD)
		S. A. E. S.				(KL	D)	
	ĺ	AN A	G3	(Residential				
	.	7 1 6	Build	ling+				¢.
	· ·		Com	mercial+	217.8	117	.7	335.5
		d an i	Anci	llary		Es.		
		A ABBASA	Build	ling))				
			Tota	Water	017.0	117	7	225.5
			Dem	and (KLD)	217.8	117	./	335.5
L						Net Control of Control		
	9	R.G. Area in	5463273638	194440 AM 1994204	and the second sec		198230 CH71.	not possible to
		sq.m.	- x383 - 705	le Recreation gr	- 96397 - ARDER	- 100 DECEMBER OF STREET, STRE	ov 7000 (2020)	- 1993 - 1993
			Howe	ver, present plai	ns are provid	ing recrea	ition sp	ace as follows:
			1. On podium at 7th floor i.e., 504.11 sq.mts.					
			2. On terrace above 48th floor i.e., 592.92 sq.mts 3. Total = 1097.03 sq.mts					
Ļ	10	A	3. Tota	are Weiter States	4986-00013-007-097-097	197.05 sq	sennerden og som	
	10	Sewage generation			lding	• • •	(3) 7.70%	ewage KLD
	Ì		99 W.	Building (Resi	dential+ col	mmercial		311.5
	×	i National International Inter	Contraction of the second s	cillary)	4 1 4721 P			211 <i>5</i>
			Sector Sector Sector Sector	Sewage gener	and the second sec		<u></u>	311.5
				provided of 350		<u>e de</u>	×	
	11	STP capacity &	lechn	ology: MBBR				•,
		technology	""OCTAVE AND	Build			SIP ca	pacity (KLD)
			G3	building	(Residen	tial+		350
			Aladar were	mercial +Ancilla	2014 N 2014 N 2014 N 2014	<u> </u>		
			Tota	l Sewage gener	ated (KLD)			311.5
					1. 			
Ļ			and	~				
	12	STP Location		wer floor	· · · · ·			
	13	Total Solid waste		ruction Phase		· · ·		
		Generation	Total waste generation during construction phase will be 25 Kg/day (Biodegradable 10 kg / day and non-biodegradable 15 kg / day).					
		Quantities			/ day and no	n-biodeg	radable	e 15 kg / day).
		· ·.	Oper:	ation Phase				

Biodegrada 672 58 vaste generation 0.1 u/day for Commercia e – Local Authority –	1120 194 kg/capita/day for al as per					
672 58 vaste generation 0.1 u/day for Commercia e – Local Authority	194 kg/capita/day for al as per					
58 vaste generation 0.1 u/day for Commercia e – Local Authority	194 kg/capita/day for al as per					
vaste generation 0.1 u/day for Commercia e – Local Authority	kg/capita/day for al as per					
n/day for Commercia	al as per					
e – Local Authority						
e folgene -	: BEST					
e folkere -	r: BEST					
	During Operational Phase –					
Source: BEST						
Alternate Power Supply from available distributers Buildings Connected						
이 같아요	Maximum					
	Demand (KW)					
(Residential+ Commercial Ancillary)						
Use of energy efficient motors, Star rated geysers and						
 Solar lightings will be provided in common areas for street 						
light.						
 <u>Inglit.</u> <u>Use of energy efficient lamps such as LED & appliances in</u> 						
<u>compliance with ECBC.</u>						
Provision of timer & sensor						
Energy saving on only 446 solar panels- 5%						
Total average annual energy saving in percentage-27.60%						
Not provided						
Required	Proposed					
277	130					
	inggalan Ang ang ang ang ang ang ang ang ang ang a					
RWH tanks of capacity 220 KL for G3 at 8 th Floor						
	n de la composition de la comp					
Construction Phase- 19 lacs. Operation Phase [Capital cost-126.3 lacs, Operation and						
Maintenance cost-10.5 lacs.] As per the O.M dated 30.09.2020 vide file no. F.No.22-65/2017-						
	e provided in comm ent lamps such as LF BC. sensor solar panels- 5% saving in percentag Required 277 KL for G3 at 8 th Flo					

3. Proposal is a new construction Project. Proposal has been considered by SEIAA in its 236th (Day-1) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1. PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions thereunder as per the circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.
- 2. PP to obtain and submit following NOCs:a) SWD remarks & NOC; b) Civil aviation NOC; c) HRC NOC; d) Tree NOC.
- 3. PP to provide air purification system to STP as it is located at second floor & include the cost of same in EMP.
- 4. PP to provide service lift up to the terrace floor as OWC is placed in terrace floor.
- 5. PP to provide adequate two-wheeler parking; PP to submit parking statement as per NBC norms; PP to ensure that minimum 25 % four-wheeler and two-wheeler parking should be equipped with electric charging facilities.
- 6. PP to submit final concession received from Municipal Commissioner with respect to parking
- 7. PP to relocate UGT from second basement to first basement such that top of the tank flush to the ground and submit cross sections of UGT showing ground level.
- 8. PP to provide air cleaning system in addition to mechanical ventilation in basement; PP to provide adequate capacity DG set . PP to include the cost of same in EMP.
- 9. PP to reduce the discharge of treated sewage water to sewer line up to 35%.
- 10. PP to include cost of Water Treatment plan (WTP) in EMP as harvested rain water is shown for domestic use.
- 11. PP to provide Low Flow Devices (LFD) & Sensors as water conservation measures in operation phase; PP to provide portable STP for workers in construction phase & accordingly revise construction & operation phase EMP.

B. SEIAA Conditions-

- PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 4. SEIAA after deliberation decided to grant EC for FSI- 35026.86 m2, Non-FSI-33125.58m2, Total BUA- 68152.44 m2. (Plan approval- P-4239/2019/ (1 And Other)/ D Ward / GIRGAUM, dated- 14th October 2021).

General Conditions:

a) <u>Construction Phase :-</u>

I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.

- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
 - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the

stipulated standards by CPCB/MPCB.

- XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.

- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://parivesh.nic.in
- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA,
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to

assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Manisha (Member Secre

Copy to:

1. Chairman, SEIAA, Mumbai.

2. Secretary, MoEF & CC, IA- Division MOEF & CC

Dec a

- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Mumbai.
- 6. Commissioner, Municipal Corporation of Greater Mumbai.
- 7. Regional Officer, Maharashtra Pollution Control Board, Mumbai.