



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5022831
Dated/दिनांक : 10-06-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	21-06-2024 12:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	21-06-2024 12:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Housing & Urban Affairs (mohua)
Department Name/विभाग का नाम	Urban Transport
Organisation Name/संगठन का नाम	Mumbai Metro Rail Corporation
Office Name/कार्यालय का नाम	Mumbai Metro Rail Corporation Limited
Total Quantity/कुल मात्रा	3676
Item Category/मद केटेगरी	Revolving Chair (V3) (Q2) (PAC Only) , Sofas (V2) (Q3) (PAC Only) , Chair Office (V2) (Q3) (PAC Only) , Classroom Chairs (Q3) (PAC Only) , medical stools or chairs (Q3) (PAC Only) , High end Office Table / Desk Furniture Set / Suit (Q3) (PAC Only) , Executive Table (V2) (Q3) (PAC Only) , Steel Tables as per IS 8126 (Q3) (PAC Only) , Modular Extendable Conference Table (Q3) (PAC Only) , Meeting Table (V2) (Q3) (PAC Only) , Centre Table (Q3) (PAC Only) , Credenzas (Q3) (PAC Only) , Almirah Steel (V2) (Q3) (PAC Only) , Modular Metal Drawer File Cabinet Pedestal (Q3) (PAC Only) , Steel Clothes Lockers (Version 2) as per IS 3314 (Q3) (PAC Only) , Modular Work Stations (V2) (Q3) (PAC Only)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	373 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	373 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No

Bid Details/बिड विवरण

Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance/विगत प्रदर्शन	40 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Revolving Chair (V3)
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	1864989

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	18

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लभार्थी :

MMRCL

Mumbai Metro Rail Corporation Limited, Urban Transport, Mumbai Metro Rail Corporation, Ministry of Housing & Urban Affairs (MoHUA)
(Mmrcl)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	No
---	----

Details of the Competent Authority for MSE

Name of Competent Authority	Mr. Charuhas Jadhav
Designation of Competent Authority	Executive Director
Office / Department / Division of Competent Authority	MMRC
CA Approval Number	MMRC/ML-3/Office Furniture/Ph-1/2024/1205
Competent Authority Approval Date	17-05-2024
Brief Description of the Approval Granted by Competent Authority	Procurement is being done on PAC basis from M/s Godrej

Competent Authority Approval for not opting Micro and Small Enterprises Preference : [View Document](#)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

Details of the Competent Authority for MII

Name of Competent Authority	Mr. Charuhas Jadhav
Designation of Competent Authority	Executive Director
Office / Department / Division of Competent Authority	MMRC
CA Approval Number	MMRC/ML-3/Office Furniture/Ph-1/2024/1205
Competent Authority Approval Date	17-05-2024
Brief Description of the Approval Granted by Competent Authority	Procurement is being done on PAC basis from M/s Godrej

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

Details of the Competent Authority approval for PAC

Competent Authority Approval document for PAC : [View Document](#)

Name of Competent Authority	Mr. Charuhas Jadhav
Designation of Competent Authority	Executive Director
Office / Department / Division of Competent Authority	MMRC
CA Approval Number	MMRC/ML-3/Office Furniture/Ph-1/2024/1205
Competent Authority Approval Date	2024-05-17 00:00:00
Brief Description of the Approval Granted by Competent Authority	Procurement of Godrej make furniture in line with the company's furniture policy.

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Revolving Chair (V3) (1 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriopostureperfectleatherhighback

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Tilt limiter
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)
	Backrest type	Tilting type
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Aluminium die Cast
	Armrest Material	PU molded over metal insert
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	Leather
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	Leather
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum width of seat	500 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Brown
	Upholstered material backrest color	Brown

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	1	45

Revolving Chair (V3) (2 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriopostureperfectstdleatherhighbac

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Tilt limiter
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)
	Backrest type	Tilting type
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Aluminium die Cast
	Armrest Material	PU molded over metal insert
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	Leather

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	Leather
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum width of seat	500 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Blue
	Upholstered material backrest color	Blue

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	2	45

Revolving Chair (V3) (8 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriolasedehighbackchair

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Tilt limiter
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)
	Backrest type	Tilting type
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Aluminium die Cast
	Armrest Material	PU molded over plastic inner
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	Leather
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
Minimum thickness of PU foam used in backrest	30 mm	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Backrest upholstery material	Leather
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum width of seat	450 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Black
	Upholstered material backrest color	Black

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	8	45

Revolving Chair (V3) (20 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriomarvelhighback

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Tilt limiter
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)
	Backrest type	Tilting type
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Aluminium die Cast
	Armrest Material	PU molded over metal insert
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	Leatherette
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	Leatherette
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum width of seat	450 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Black

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Upholstered material backrest color	Black

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	20	45

Revolving Chair (V3) (55 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriothrillexecutivelchighback

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Any position Locking
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)
	Backrest type	Tilting type
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Aluminium die Cast
	Armrest Material	PU molded over plastic inner

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	Leatherette
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	Leatherette
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum width of seat	500 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Black
	Upholstered material backrest color	Black

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	55	45

Revolving Chair (V3) (5 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriopostureperfectleathermidback

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Tilt limiter
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)
	Backrest type	Tilting type
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Aluminium die Cast
	Armrest Material	PU molded over metal insert
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	Leather
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Backrest upholstery material	Leather
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum width of seat	500 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	Mid back (451 to 550 mm)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Blue
	Upholstered material backrest color	Blue

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	5	45

Revolving Chair (V3) (6 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriopostureperfectstdleathermidback

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Tilt limiter
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)
	Backrest type	Tilting type
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Aluminium die Cast
	Armrest Material	PU molded over metal insert
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	Leather
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	Leather
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum width of seat	500 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	Mid back (451 to 550 mm)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Grey

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Upholstered material backrest color	Grey

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	6	45

Revolving Chair (V3) (16 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriolasedemidbackchair

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Tilt limiter
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)
	Backrest type	Tilting type
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Aluminium die Cast
	Armrest Material	PU molded over plastic inner

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	Leather
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	Leather
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum width of seat	450 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Grey
	Upholstered material backrest color	Grey

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	16	45

Revolving Chair (V3) (50 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriomarvelmidback

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Tilt limiter
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)
	Backrest type	Tilting type
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Aluminium die Cast
	Armrest Material	PU molded over metal insert
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	Leatherette
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Backrest upholstery material	Leatherette
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum width of seat	450 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Grey
	Upholstered material backrest color	Black

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	50	45

Revolving Chair (V3) (688 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriogreta2.0withoutheadrest

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Tilt limiter
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)
	Backrest type	Tilting type
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Nylon
	Armrest Material	PU molded over plastic inner
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	100 % Polyester fabric
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	NA
	Minimum thickness of PU foam used in backrest	NA
	Backrest upholstery material	Mesh fabrics
	Upholstery material thickness /fabric substance used in seat /backrest	Minimum 200 GSM (for Woven fabric)
DIMENSION	Minimum width of seat	500 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Black

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Upholstered material backrest color	Black

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	688	45

Revolving Chair (V3) (5 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriohaloveryhighbackchair

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Any position Locking
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Fixed
	Backrest type	Tilting type
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Aluminium die Cast
	Armrest Material	PU molded over metal insert

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	Leather
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	Leather
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum width of seat	500 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Black
	Upholstered material backrest color	Black

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	5	45

Revolving Chair (V3) (8 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriobravomidbackchair

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Any position Locking
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Fixed
	Backrest type	Tilting type
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Nylon
	Armrest Material	PU molded over plastic inner
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	100 % Polyester fabric
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Backrest upholstery material	100 % Polyester fabric
	Upholstery material thickness /fabric substance used in seat /backrest	Minimum 200 GSM (for Woven fabric)
DIMENSION	Minimum width of seat	450 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Black
	Upholstered material backrest color	Black

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	8	45

Sofas (V2) (1 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriorhythm3seatersofa

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	3
	Number of Single Seater Units (Nos)	No Single Seater Unit
	Number of Two Seater Units (Nos)	No Two Seater Unit
	Number of Three Seater Units (Nos)	1
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	32
	Covering Material for Seat and Backrest	Fabric
MATERIAL	Frame Structure Material and size (± 1 mm)	18 mm thick Teak Plywood
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material ± 3 (Kg/Cubic M)	30
	Type of Spring in the Base / Seating	Sinuuous spring
DIMENSION	Length of Single Seater Units in mm (± 5 mm)	N.A
	Length of Two Seater Units in mm (± 10 mm)	N.A
	Length of Three Seater Units in mm (± 10 mm)	1980
	Length of Four Seater Units in mm (± 10 mm)	N.A
	Depth of Sofa Units in mm (± 10 mm)	760
	Sofa Height (Without Back Cushion) ± 5 (mm)	470.0 (millimeter)
	Sofa Height (With Back Cushion) ± 5 mm	830.0 (millimeter)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seat Cushion Length ±5 (mm)	1760
	Seat Cushion Width ±5 (mm)	570
	Seat Cushion Thickness ±3 (mm)	100
	Backrest Cushion Length ±5 (mm)	1755
	Backrest Cushion Width ±5 (mm)	335
WARRANTY	Warranty	1 - Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	1	45

Sofas (V2) (2 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinterio1seaterrhythm

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	1

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of Single Seater Units (Nos)	1
	Number of Two Seater Units (Nos)	No Two Seater Unit
	Number of Three Seater Units (Nos)	No Three Seater Unit
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	32
	Covering Material for Seat and Backrest	Fabric
MATERIAL	Frame Structure Material and size (± 1 mm)	18 mm thick Teak Plywood
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material ± 3 (Kg/Cubic M)	30
	Type of Spring in the Base / Seating	Sinuuous spring
DIMENSION	Length of Single Seater Units in mm (± 5 mm)	850
	Length of Two Seater Units in mm (± 10 mm)	N.A
	Length of Three Seater Units in mm (± 10 mm)	N.A
	Length of Four Seater Units in mm (± 10 mm)	N.A
	Depth of Sofa Units in mm (± 10 mm)	760
	Sofa Height (Without Back Cushion) ± 5 (mm)	470.0 (millimeter)
	Sofa Height (With Back Cushion) ± 5 mm	830.0 (millimeter)
	Seat Cushion Length ± 5 (mm)	640
	Seat Cushion Width ± 5 (mm)	570

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seat Cushion Thickness ±3 (mm)	100
	Backrest Cushion Length ±5 (mm)	800
	Backrest Cushion Width ±5 (mm)	335
WARRANTY	Warranty	1 - Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	2	45

Sofas (V2) (6 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriomajesta3seatersofa

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	3
	Number of Single Seater Units (Nos)	No Single Seater Unit
	Number of Two Seater Units (Nos)	No Two Seater Unit

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of Three Seater Units (Nos)	1
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	28
	Covering Material for Seat and Backrest	Leatherite
MATERIAL	Frame Structure Material and size (± 1 mm)	18 mm thick Teak Plywood
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material ± 3 (Kg/Cubic M)	30
	Type of Spring in the Base / Seating	Eight way hand tied spring
DIMENSION	Length of Single Seater Units in mm (± 5 mm)	N.A
	Length of Two Seater Units in mm (± 10 mm)	N.A
	Length of Three Seater Units in mm (± 10 mm)	2050
	Length of Four Seater Units in mm (± 10 mm)	N.A
	Depth of Sofa Units in mm (± 10 mm)	850
	Sofa Height (Without Back Cushion) ± 5 (mm)	470.0 (millimeter)
	Sofa Height (With Back Cushion) ± 5 mm	765.0 (millimeter)
	Seat Cushion Length ± 5 (mm)	1580
	Seat Cushion Width ± 5 (mm)	570
	Seat Cushion Thickness ± 3 (mm)	125
Backrest Cushion Length ± 5 (mm)	2040	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Backrest Cushion Width ±5 (mm)	335
WARRANTY	Warranty	1 - Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	6	45

Sofas (V2) (2 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriomajesta2seatersofa

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	2
	Number of Single Seater Units (Nos)	No Single Seater Unit
	Number of Two Seater Units (Nos)	1
	Number of Three Seater Units (Nos)	No Three Seater Unit
	Number of Four Seater Units (Nos)	No Four Seater Unit

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	28
	Covering Material for Seat and Backrest	Leatherite
MATERIAL	Frame Structure Material and size (± 1 mm)	18 mm thick Teak Plywood
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material ± 3 (Kg/Cubic M)	30
	Type of Spring in the Base / Seating	Eight way hand tied spring
DIMENSION	Length of Single Seater Units in mm (± 5 mm)	N.A
	Length of Two Seater Units in mm (± 10 mm)	1500
	Length of Three Seater Units in mm (± 10 mm)	N.A
	Length of Four Seater Units in mm (± 10 mm)	N.A
	Depth of Sofa Units in mm (± 10 mm)	850
	Sofa Height (Without Back Cushion) ± 5 (mm)	470.0 (millimeter)
	Sofa Height (With Back Cushion) ± 5 mm	765.0 (millimeter)
	Seat Cushion Length ± 5 (mm)	1040
	Seat Cushion Width ± 5 (mm)	570
	Seat Cushion Thickness ± 3 (mm)	125
	Backrest Cushion Length ± 5 (mm)	1500
	Backrest Cushion Width ± 5 (mm)	335
WARRANTY	Warranty	1 - Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	2	45

Sofas (V2) (7 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriopisa-3seatersofa

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	3
	Number of Single Seater Units (Nos)	No Single Seater Unit
	Number of Two Seater Units (Nos)	No Two Seater Unit
	Number of Three Seater Units (Nos)	1
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	28

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Covering Material for Seat and Backrest	Leatherite
MATERIAL	Frame Structure Material and size (± 1 mm)	18 mm thick Teak Plywood
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material ± 3 (Kg/Cubic M)	26
	Type of Spring in the Base / Seating	Zig Zag spring
DIMENSION	Length of Single Seater Units in mm (± 5 mm)	N.A
	Length of Two Seater Units in mm (± 10 mm)	N.A
	Length of Three Seater Units in mm (± 10 mm)	2050
	Length of Four Seater Units in mm (± 10 mm)	N.A
	Depth of Sofa Units in mm (± 10 mm)	900
	Sofa Height (Without Back Cushion) ± 5 (mm)	700.0 (millimeter)
	Sofa Height (With Back Cushion) ± 5 mm	850.0 (millimeter)
	Seat Cushion Length ± 5 (mm)	1700
	Seat Cushion Width ± 5 (mm)	530
	Seat Cushion Thickness ± 3 (mm)	125
	Backrest Cushion Length ± 5 (mm)	1150
	Backrest Cushion Width ± 5 (mm)	400
WARRANTY	Warranty	1 - Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	7	45

Sofas (V2) (8 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriobayflow2seatersofa

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	2
	Number of Single Seater Units (Nos)	No Single Seater Unit
	Number of Two Seater Units (Nos)	1
	Number of Three Seater Units (Nos)	No Three Seater Unit
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	32
	Covering Material for Seat and Backrest	Leatherite
MATERIAL	Frame Structure Material and size (±1 mm)	19 mm thick Commercial board
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material ±3 (Kg/Cubic M)	30

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Type of Spring in the Base / Seating	Zig Zag spring
DIMENSION	Length of Single Seater Units in mm (± 5 mm)	400
	Length of Two Seater Units in mm (± 10 mm)	1420
	Length of Three Seater Units in mm (± 10 mm)	1850
	Length of Four Seater Units in mm (± 10 mm)	1600
	Depth of Sofa Units in mm (± 10 mm)	800
	Sofa Height (Without Back Cushion) ± 5 (mm)	800.0 (millimeter)
	Sofa Height (With Back Cushion) ± 5 mm	800.0 (millimeter)
	Seat Cushion Length ± 5 (mm)	640
	Seat Cushion Width ± 5 (mm)	510
	Seat Cushion Thickness ± 3 (mm)	65
	Backrest Cushion Length ± 5 (mm)	1050
	Backrest Cushion Width ± 5 (mm)	508
WARRANTY	Warranty	1 - Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	8	45

Sofas (V2) (6 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriopisa-2seatersofa

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	2
	Number of Single Seater Units (Nos)	No Single Seater Unit
	Number of Two Seater Units (Nos)	1
	Number of Three Seater Units (Nos)	No Three Seater Unit
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	28
	Covering Material for Seat and Backrest	Leatherite
MATERIAL	Frame Structure Material and size (±1 mm)	18 mm thick Teak Plywood
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material ±3 (Kg/Cubic M)	26

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Type of Spring in the Base / Seating	Zig Zag spring
DIMENSION	Length of Single Seater Units in mm (± 5 mm)	N.A
	Length of Two Seater Units in mm (± 10 mm)	1455
	Length of Three Seater Units in mm (± 10 mm)	N.A
	Length of Four Seater Units in mm (± 10 mm)	N.A
	Depth of Sofa Units in mm (± 10 mm)	900
	Sofa Height (Without Back Cushion) ± 5 (mm)	700.0 (millimeter)
	Sofa Height (With Back Cushion) ± 5 mm	850.0 (millimeter)
	Seat Cushion Length ± 5 (mm)	1200
	Seat Cushion Width ± 5 (mm)	530
	Seat Cushion Thickness ± 3 (mm)	125
	Backrest Cushion Length ± 5 (mm)	1150
	Backrest Cushion Width ± 5 (mm)	400
WARRANTY	Warranty	1 - Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	6	45

Chair Office (V2) (184 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriobravovisitorchair

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair Type	Non-Revolving and Non-Tilting chair with Armrest
	Chair frame type	Cantilever
	Armrest type	Moulded armrest continuously fitted with seat bottom to backrest
	Seat type	Padded
	Backrest type	Padded
CHAIR FRAME	Frame Material Configuration	One piece
	Frame material	Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment)
SEAT FABRICATION	Seat material	Moulded Plywood
	Seat material thickness	40 mm
	Density of Polyurethane foam used in seat (±2 Kg/Cub Meter)	45
	Seat upholstered with	Fabric
	GSM of seat cover (± 3 GSM)	220 GSM
BACKREST FABRICATION	Backrest material	Moulded Plywood
	Density of Polyurethane foam used in Backrest (±2 Kg/Cub Meter)	45
	Backrest upholstered with	Fabric

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
DIMENSION	Seat Depth (± 5 mm)	480 mm
	Seat Width (± 5 mm)	460 mm
	Seat height from floor surface (± 5 mm)	455 mm
	Backrest width (± 5 mm)	470 mm
	Backrest height from seat (± 5 mm)	580 mm
COLOUR AND FINISH	Paint Type	Epoxy
	Polish Type	N.A
	Colour of Paint	Black
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification	Yes
	Test reports to be furnished to buyer on demand	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	184	45

Chair Office (V2) (60 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriohalovisitorchair

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair Type	Non-Revolving and Non-Tilting chair without Armrest
	Chair frame type	Cantilever
	Armrest type	Without Armrest
	Seat type	Padded
	Backrest type	Padded
CHAIR FRAME	Frame Material Configuration	One piece
	Frame material	Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment)
SEAT FABRICATION	Seat material	Moulded Plywood
	Seat material thickness	40 mm
	Density of Polyurethane foam used in seat (±2 Kg/Cub Meter)	45
	Seat upholstered with	Leather
	GSM of seat cover (± 3 GSM)	390 GSM
BACKREST FABRICATION	Backrest material	Moulded Plywood
	Density of Polyurethane foam used in Backrest (±2 Kg/Cub Meter)	45
	Backrest upholstered with	Leather
DIMENSION	Seat Depth (± 5 mm)	480 mm
	Seat Width (± 5 mm)	540 mm
	Seat height from floor surface (± 5 mm)	455 mm
	Backrest width (± 5 mm)	530 mm
	Backrest height from seat (± 5 mm)	720 mm
COLOUR AND FINISH	Paint Type	Epoxy
	Polish Type	N.A
	Colour of Paint	Gray
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification	Yes

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Test reports to be furnished to buyer on demand	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	60	45

Classroom Chairs (216 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinterioscintillawithdesklet&armschair

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Chair Type	Foldable Writing pad on One side and Arm on other side
	Type of Seat and Backrest	12 mm ply with moulded PU foam.
Backrest Details	Density of Cushion Used in Backrest (Kg/Cubic Metre)	70
	Thickness of Cushion in Backrest in mm (+/- 2 mm)	65
	Material of Fabric of Backrest Cover	290 gSM Cloth Fabric
SUPPORT / UNDER STRUCTURE	Frame Material	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Writing Pad Details	Writing Pad Material	PLASTIC MOULDED
Warranty	Warranty period in number of years	1
Certification	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	216	45

Medical Stools Or Chairs (3 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriorevolvingstoolhibasewithoutbacklabstoolheightadjustable

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Dimensions	Adjustable Height	Yes

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Normal Height (mm)	670
	Min. Height (mm)	670
	Max. height (mm)	785
	Stool Top base Thickness (mm)	12
Material and shape of Stool	Cushioning in the stool Top	with Cushion
	No of Legs in the under structure	5
	Foot rest	With
	Material of Top	Wood
	Painting	Powder coating
	Type of Stool	Revolving
	Back rest	Without

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	3	45

Sofas (V2) (2 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinterioparto3seatersofa

Technical Specifications/तकनीकी विशिष्टियाँ

* [As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	3
	Number of Single Seater Units (Nos)	No Single Seater Unit
	Number of Two Seater Units (Nos)	No Two Seater Unit
	Number of Three Seater Units (Nos)	1
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	28
	Covering Material for Seat and Backrest	Leatherite
MATERIAL	Frame Structure Material and size (± 1 mm)	18 mm thick Teak Plywood
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material ± 3 (Kg/Cubic M)	35
	Type of Spring in the Base / Seating	Web suspension
DIMENSION	Length of Single Seater Units in mm (± 5 mm)	N.A
	Length of Two Seater Units in mm (± 10 mm)	N.A
	Length of Three Seater Units in mm (± 10 mm)	1750
	Length of Four Seater Units in mm (± 10 mm)	N.A
	Depth of Sofa Units in mm (± 10 mm)	800
	Sofa Height (Without Back Cushion) ± 5 (mm)	400.0 (millimeter)
	Sofa Height (With Back Cushion) ± 5 mm	765.0 (millimeter)
	Seat Cushion Length ± 5 (mm)	640

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seat Cushion Width ±5 (mm)	710
	Seat Cushion Thickness ±3 (mm)	100
	Backrest Cushion Length ±5 (mm)	1050
	Backrest Cushion Width ±5 (mm)	585
WARRANTY	Warranty	1 - Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	2	45

High End Office Table / Desk Furniture Set / Suit (1 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriograndermaintable10fteru5ft

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Warranty periods	1 - Year
MAIN TABLE	Design / Shape	Rectangular

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Under structure of main table	Gable end modesty panel
	Table top material	combination of MDF particle board and solid wood with top venner face coated with clear lacquer
	Gable end material	Combination of MDF particle board and solid wood with top venner face coated with clear lacquer
	Modesty panel material	N.A
	Leg material	N.A
	Number of buffer provided	Eight numbers at bottom
	Length of table top ± 20 mm	2400 mm
	Depth of table top ± 10 mm	1050 mm
	Height of table top ± 10 mm	730 mm
	Dimension of leg ± 2 mm	NA
	Thickness of table top ± 2 mm	40 mm
	Thickness of gable end ± 2 mm	18 mm
	Thickness of modesty panel ± 1 mm	18 mm
	Material of keyboard tray and right angle L-Type supporting bracket	N.A
	Finish of exposed edges of keyboard tray	N.A
EXTENDED RETURN UNIT	Number of storage unit	4 numbers
	Storage with shutter	2 numbers
	Number of drawers	N.A
	Size of small drawers ± 5 mm	N.A
	Size of medium drawers ± 5 mm	N.A
	Number of lockable castors at bottom	N.A
	Size of lockable castors ± 2 mm	N.A
	Provision of storage lock system	Central locking system
	Material of top	Particle board with venner face coated with clear lacquer

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Material of modesty panel	N.A
	Material of side panel	N.A
	Thickness of top panel ± 2 mm	40 mm
	Thickness of other panel ± 2 mm	18 mm
	Thickness of drawer base ± 1 mm	N.A
	Width of unit ± 20 mm	1500 mm
	Depth of unit ± 5 mm	580 mm
	Height of unit ± 5 mm	750 mm
	Overall height of storage unit ± 5 mm	750 mm
PEDESTAL STORAGE UNIT	Type of unit	Three drawers
	Size of drawers ± 2 mm	162 mm (H) x 640 mm (D) x 480 mm (W)
	Each drawers fixed with	On telescopic channel of 400 mm length with average weight of 0.6 Kg per set having average thickness of 1 mm steel member of channel
	Provision of lock system	Central locking system
	Material of top panel	N.A
	Material of other panel	N.A
	Thickness of top panel ± 1 mm	25 mm
	Thickness of other panel ± 1 mm	18 mm
	Number of lockable castors at bottom pedestal storage unit	N.A
	Size of lockable castors for pedestal storage unit ± 2 mm	N.A
	Width of pedestal unit ± 5 mm	500 mm
	Depth of pedestal unit ± 5 mm	640 mm
Height of pedestal unit ± 5 mm	580 mm	
WOODEN BOOK CASE	Total Number of shelf	N.A
	Top panel material	N.A
	Side panel material	N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Shelf material	N.A
	Full Door panel material	N.A
	Upper door panel made up of	N.A
	Lower door panel made up of	N.A
	Thickness of top panel material ± 1 mm	N.A
	Thickness of side panel material ± 1 mm	N.A
	Thickness of shelf panel material ± 1 mm	N.A
	Thickness of door panel (full size) material ± 1 mm	N.A
	Thickness of upper door panel made up of ± 1 mm	N.A
	Thickness of lower panel made up of ± 1 mm	N.A
	Material for buffer	N.A
	Width of book case ± 10 mm	N.A
	Depth of book case ± 5 mm	N.A
	Height of book case ± 20 mm	N.A
	Size of medium shelf	N.A
CERTIFICATION	Product having BIFMA certification	Yes
	OEM of offered product is ISO 9001:2015 certified	Yes
	OEM of offered product is ISO 14001:2015 certified	Yes
	OEM of offered product is ISO 18001:2007/45001:2018 certified	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	1	45

Executive Table (V2) (2 pieces) (Under PAC)

Make	godrejinterio
Model	cignus2350witheru1200attachedpedestal

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Gable end and modesty panel
	The type of Storage provided	Both side pedestal unit
	Keyboard tray	Not provided
	Footrest	Not Provided
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	25 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	25 mm
	Leg Material	NA
	The thickness of the Leg material	NA
DIMENSION	Width of tabletop ±10 mm	1500 mm
	Depth of table ±10 mm	915 mm
	Height of table ±10 mm	750 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Size (L x W) /diameter of leg material \pm 5 mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	3 drawers
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Teak
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	2	45

Executive Table (V2) (8 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriotopazmaintable1800witheru1200

Technical Specifications/तकनीकी विशिष्टियाँ

* [As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Gable end and modesty panel
	The type of Storage provided	One side pedestal unit and E.R.U
	Keyboard tray	Not provided
	Footrest	Not Provided
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	25 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	25 mm
	Leg Material	NA
	The thickness of the Leg material	NA
DIMENSION	Width of tabletop ±10 mm	1800 mm
	Depth of table ±10 mm	900 mm
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	3 drawers
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	White
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	8	45

Executive Table (V2) (20 pieces) (Under PAC)

Make	godrejinterio
Model	aristotblh1800x900

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Two legs with modesty panel
	The type of Storage provided	One side pedestal unit
	Keyboard tray	Not provided
	Footrest	Not Provided
MATERIAL	Tabletop Material	Prelaminated MDF board
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	The thickness of the gable end	25 mm
	Modesty panel material	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	The thickness of the modesty panel material	25 mm
	Leg Material	NA

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	The thickness of the Leg material	NA
DIMENSION	Width of tabletop ±10 mm	1800 mm
	Depth of table ±10 mm	900 mm
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	No ERU
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Teak
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	20	45

Executive Table (V2) (50 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriotridentmiddlemaindeskwitheru

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Gable end and modesty panel
	The type of Storage provided	One side pedestal unit and E.R.U
	Keyboard tray	Not provided
	Footrest	Not Provided
MATERIAL	Tabletop Material	Prelaminated MDF board
	Thickness of table top material (± 1 mm)	18 mm
	Gable end material	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	The thickness of the gable end	18 mm
	Modesty panel material	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	The thickness of the modesty panel material	18 mm
	Leg Material	NA
	The thickness of the Leg material	1.4 mm
DIMENSION	Width of tabletop ±10 mm	1650 mm
	Depth of table ±10 mm	700 mm
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	25 mm
EXTENDED RETURN UNIT	ERU unit consists of	1 storage unit with shutter
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
COLOUR AND FINISH	Table top finish	Laminate in color with matt finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Natural Shade
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	50	45

Executive Table (V2) (5 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriocignusmaintable1650with900

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Gable end and modesty panel
	The type of Storage provided	Both side pedestal unit
	Keyboard tray	Not provided
	Footrest	Not Provided
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material (± 1 mm)	25 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	25 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	25 mm
	Leg Material	NA
	The thickness of the Leg material	NA
DIMENSION	Width of tabletop ±10 mm	1650 mm
	Depth of table ±10 mm	750 mm
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	1 drawer
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Teak
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	5	45

Executive Table (V2) (1 pieces) (Under PAC)

Make	godrejinterio
Model	finnessemaintable-5630

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Gable end and modesty panel
	The type of Storage provided	One side pedestal unit
	Keyboard tray	Not provided
	Footrest	Not Provided
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	18 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	18 mm
	Leg Material	NA
	The thickness of the Leg material	NA
DIMENSION	Width of tabletop ±10 mm	1650 mm
	Depth of table ±10 mm	900 mm
	Height of table ±10 mm	750 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Size (L x W) /diameter of leg material \pm 5 mm	25 x 25 (mm)
EXTENDED RETURN UNIT	ERU unit consists of	No ERU
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	No Pedestal unit
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Peach
	Table /ERU /Pedestal Panel Plain Side	NA
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	1	45

Executive Table (V2) (2 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriofinnesstable-5630pedestaleru

Technical Specifications/तकनीकी विशिष्टियाँ

* [As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Gable end and modesty panel
	The type of Storage provided	One side E.R.U unit
	Keyboard tray	Not provided
	Footrest	Not Provided
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	18 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	18 mm
	Leg Material	NA
	The thickness of the Leg material	NA
DIMENSION	Width of tabletop ±10 mm	1650 mm
	Depth of table ±10 mm	900 mm
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	25 x 25 (mm)
EXTENDED RETURN UNIT	ERU unit consists of	1 drawer
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Peach
	Table /ERU /Pedestal Panel Plain Side	NA
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	2	45

Steel Tables As Per IS 8126 (99 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinterioenterprise1650table

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Storage	one side
	Total Number of Storage Units	triple storage
	Table Top Material and Thickness (+/-2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	Padestal (Under structure)	Mild steel ERW tube 38 mm x 25 mm x 1.2 mm thick
	Table Top Length +/- 10(mm)	1660.0 (millimeter)
	Table Top Width +/-10(mm)	900.0 (millimeter)
	Table Height +/-5(mm)	725.0 (millimeter)
MATERIAL	Storage Unit and Drawer Units Material	0.6 mm M S Sheet (Not as per IS 8126)
DIMENSION	Depth of Storage Unit +/- 10(mm)	550.0 (millimeter)
	Width of Locker / Cupboard type Storage unit	355 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Depth of Locker / Cupboard type Storage unit	560 MM
CERTIFICATION	ISI Marked	No
	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/ISO 45001:2018 certified	YES
	Green guard certification	YES
WARRANTY	Warranty in number of years	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	99	45

Steel Tables As Per IS 8126 (33 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinterioenterprise1200table

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Storage	one side
	Total Number of Storage Units	triple storage
	Table Top Material and Thickness (+/-2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	Padestal (Under structure)	Mild steel rectangular section of out side minimum 30 mm X 20 mm & Wall thickness minimum 1.2 mm
	Table Top Length +/-10(mm)	1190.0 (millimeter)
	Table Top Width +/-10(mm)	600.0 (millimeter)
	Table Height +/-5(mm)	735.0 (millimeter)
MATERIAL	Storage Unit and Drawer Units Material	0.6 mm M S Sheet (Not as per IS 8126)
DIMENSION	Depth of Storage Unit +/-10(mm)	600.0 (millimeter)
	Width of Locker / Cupboard type Storage unit	350 mm
	Depth of Locker / Cupboard type Storage unit	600 mm
CERTIFICATION	ISI Marked	No
	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/ISO 45001:2018 certified	YES
	Green guard certification	NO
WARRANTY	Warranty in number of years	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	33	45

Steel Tables As Per IS 8126 (113 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinterioenterprise1500table

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Storage	one side
	Total Number of Storage Units	triple storage
	Table Top Material and Thickness (+/-2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	Padestal (Under structure)	Mild steel ERW tube 38 mm x 25 mm x 1.2 mm thick
	Table Top Length +/- 10(mm)	1500.0 (millimeter)
	Table Top Width +/-10(mm)	750.0 (millimeter)
	Table Height +/-5(mm)	725.0 (millimeter)
MATERIAL	Storage Unit and Drawer Units Material	0.6 mm M S Sheet (Not as per IS 8126)
DIMENSION	Depth of Storage Unit +/- 10(mm)	550.0 (millimeter)
	Width of Locker / Cupboard type Storage unit	355 mm
	Depth of Locker / Cupboard type Storage unit	560 MM
CERTIFICATION	ISI Marked	No
	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	NO

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/ISO 45001:2018 certified	YES
	Green guard certification	YES
WARRANTY	Warranty in number of years	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	113	45

Modular Extendable Conference Table (60 per seat) (Under PAC)

Make	godrejinterio
Model	godrejinteriomodularmingleelegance30seater

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	SELLING UNIT	SELLING UNIT IS PER SEAT. SELLER TO OFFER PRICES IN TREMS OF PRICE PER SEAT. WHILE ORDERING, BUYER TO ORDER FOR QUANTITY OF SEATS REQUIRED IN CONFERENCE TABLE.

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Type of Seating Offered	Single Seating, Dual Seating
	Top Fixing	With gable end and modesty panel using Mini Fix And Wooden Dowel By Using (Knock Down) System For Interconnecting
	Number of single seater	N.A
	Number of dual seater	14
	Number of corners for work top	4
	Mode of Supply of modular table	Knocked Down To Be Assembled At Consignee Site By The Seller
MATERIAL	Material of work top ± 3 mm	36 Mm Thick Flat Single Layer MDF Board Of Grade SBG-II Of IS:12406/Latest
	Table top plain side	Edge banded with PVC tape of 2 mm thick with help of hot melt glue
	Material of Gable end and modesty panel ± 3 mm	18 Mm Thick Three Layers Prelaminated Particle Boards Of Grade-II Type-III Of IS:12823/Latest Both Sides Particle Boards Matching With Top Shade In Grade-II Type-III
DIMENSION	Length of Each Seat of Work Top ± 20 mm	1350 mm For dual
	Depth of Work Top ± 20 mm	700 mm
COLOUR & FINISH	Table top finish	Membrane Finish
	Colour of top finish	As per buyer's choice
WARANTY	Warranty period in number of years	1
CERTIFICATION	Test reports to be furnished to buyer on demand	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES
	Product having BIFMA certification	NO

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	60	45

Modular Extendable Conference Table (20 per seat) (Under PAC)

Make	godrejinterio
Model	godrejinteriomodularmingleelegance20seater

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	SELLING UNIT	SELLING UNIT IS PER SEAT. SELLER TO OFFER PRICES IN TREMS OF PRICE PER SEAT. WHILE ORDERING, BUYER TO ORDER FOR QUANTITY OF SEATS REQUIRED IN CONFERENCE TABLE.
	Type of Seating Offered	Single Seating, Dual Seating
	Top Fixing	With gable end and modesty panel using Mini Fix And Wooden Dowel By Using (Knock Down) System For Interconnecting
	Number of single seater	N.A
	Number of dual seater	10
	Number of corners for work top	4
	Mode of Supply of modular table	Knocked Down To Be Assembled At Consignee Site By The Seller
MATERIAL	Material of work top ± 3 mm	36 Mm Thick Flat Single Layer MDF Board Of Grade SBG-II Of IS:12406/Latest
	Table top plain side	Edge banded with PVC tape of 2 mm thick with help of hot melt glue
	Material of Gable end and modesty panel ± 3 mm	18 Mm Thick Three Layers Prelaminated Particle Boards Of Grade-II Type-III Of IS:12823/Latest Both Sides Particle Boards Matching With Top Shade In Grade-II Type-III
DIMENSION	Length of Each Seat of Work Top ± 20 mm	1350 mm For dual

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Depth of Work Top \pm 20 mm	700 mm
COLOUR & FINISH	Table top finish	Membrane Finish
	Colour of top finish	As per buyer's choice
WARANTY	Warranty period in number of years	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES
	Product having BIFMA certification	NO

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	20	45

Modular Extendable Conference Table (40 per seat) (Under PAC)

Make	godrejinterio
Model	godrejinteriominglemodularmem20seatertable

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	SELLING UNIT	SELLING UNIT IS PER SEAT. SELLER TO OFEER PRICES IN TREMS OF PRICE PER SEAT. WHILE ORDERING, BUYER TO ORDER FOR QUANTITY OF SEATS REQUIRED IN CONFERENCE TABLE.
	Type of Seating Offered	Single Seating, Dual Seating
	Top Fixing	With gable end and modesty panel using Mini Fix And Wooden Dowel By Using (Knock Down) System For Interconnecting
	Number of single seater	N.A
	Number of dual seater	10
	Number of corners for work top	1, 2, 3, 4
	Mode of Supply of modular table	Knocked Down To Be Assembled At Consignee Site By The Seller
MATERIAL	Material of work top \pm 3 mm	36 Mm Thick Flat Single Layer MDF Board Of Grade SBG-II Of IS:12406/Latest
	Table top plain side	Edge banded with PVC tape of 2 mm thick with help of hot melt glue
	Material of Gable end and modesty panel \pm3 mm	18 Mm Thick Three Layers Prelaminated Particle Boards Of Grade-II Type-III Of IS:12823/Latest Both Sides Particle Boards Matching With Top Shade In Grade-II Type-III
DIMENSION	Length of Each Seat of Work Top \pm 20 mm	1350 mm For dual
	Depth of Work Top \pm 20 mm	600 mm
COLOUR & FINISH	Table top finish	Membrane Finish
	Colour of top finish	As per buyer's choice
WARANTY	Warranty period in number of years	1
CERTIFICATION	Test reports to be furnished to buyer on demand	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES
	Product having BIFMA certification	NO

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	40	45

Meeting Table (V2) (3 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriomingleunitizedmem3000w

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	The shape of table top	Rectangular
	Wire management	With
	Number of the socket box	2
	In-built sockets for LAN / INTERNET	No
	Type of understructure	Gable end and modesty panel
MATERIAL	Material of table top	Prelaminated MDF board conforming to grade II and type II of IS:14587/latest
	Material of legs /Gable end	Prelaminated MDF board conforming to grade II and type II of IS: 14587/latest
	Material of modesty panel	Prelaminated MDF board conforming to grade II and type II of IS: 14587/latest
DIMENSION	Length/Diameter/Major axis of tabletop	1500 mm
	Width/Minor axis of tabletop (select NA in case of the round table) ±10(mm)	1100 mm
	Thickness of top ±2(mm)	25 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Table height in mm (± 5 mm)	750 mm
	Height of modesty panel ± 5 (mm)	NA
	Thickness of modesty panel (in mm) $\pm 5\%$	NA
	Thickness of Gable end	NA
	Size/Diameter of legs ($\pm 0[\text{dot}]5$ mm)	NA
	Thickness of legs material	1.5 mm
COLOUR AND FINISH	Type of table top finish	PVC foil membrane
	The thickness of the table top finish	2.0 mm
	Type of Leg(s) /gable end finish	Matt polish
	The thickness of the leg(s) /gable end finish	NA
	Type of modesty panel finish	PVC foil membrane
	The thickness of the modesty panel finish	NA
	Colour	As per Buyer's Requirement (to be indicated during bid creation)
	Packing	Corrugated paper packing
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to buyer on demand	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	3	45

Meeting Table (V2) (12 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinterioinsighttable1800

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	The shape of table top	Rectangular
	Wire management	Without
	Number of the socket box	NA
	In-built sockets for LAN / INTERNET	NA
	Type of understructure	Leg type
MATERIAL	Material of table top	Three layer prelaminated particle boards of grade II type II of IS:12823/latest
	Material of legs /Gable end	MS pipes with powder coated
	Material of modesty panel	Metal perforated sheet
DIMENSION	Length/Diameter/Major axis of tabletop	1800 mm
	Width/Minor axis of tabletop (select NA in case of the round table) ±10(mm)	750 mm
	Thickness of top ±2(mm)	25 mm
	Table height in mm (±5 mm)	750 mm
	Height of modesty panel ±5(mm)	NA
	Thickness of modesty panel (in mm) ± 5%	NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Thickness of Gable end	NA
	Size/Diameter of legs (± 0[dot]5 mm)	50 mm
	Thickness of legs material	1.6 mm
COLOUR AND FINISH	Type of table top finish	Lamination
	The thickness of the table top finish	2.0 mm
	Type of Leg(s) /gable end finish	As per buyer's choice
	The thickness of the leg(s) /gable end finish	NA
	Type of modesty panel finish	No finish
	The thickness of the modesty panel finish	NA
	Colour	Frosty white
	Packing	Corrugated paper packing
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to buyer on demand	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	12	45

Centre Table (1 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriograndercoffeetable

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Number of storage under top	Double storage (one at upper portion and one at bottom portion)
MATERIAL	Top material	Medium Density Fiberboard
	Frame material	Other wood
DIMENSION & THICKNESS	Dimension of Top (Length X Breadth, or Diameter) ±20mm	800mmX550mm
	Height of centre table ±10 mm	380.0 (millimeter)
	Thickness of top material (+/-2 mm)	36.0 (millimeter)
	Thickness of frame material (+/- 1 mm)	0.0 (millimeter)
WARRANTY	Warranty period in number of years	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	1	45

Centre Table (8 pieces) (Under PAC)

Make	godrejinterio
------	---------------

Model	godrejinterioharmonycoffeetable
-------	---------------------------------

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Number of storage under top	Double storage (one at upper portion and one at bottom portion)
MATERIAL	Top material	Other wood
	Frame material	Other wood
DIMENSION & THICKNESS	Dimension of Top (Length X Breadth, or Diameter) ±20mm	1200mmX600mm
	Height of centre table ±10 mm	460.0 (millimeter)
	Thickness of top material (+/-2 mm)	18.0 (millimeter)
	Thickness of frame material (+/- 1 mm)	19.0 (millimeter)
WARRANTY	Warranty period in number of years	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	8	45

Centre Table (14 pieces) (Under PAC)

Make	godrejinterio
------	---------------

Model	godrejinteriobloomcoffeetable
-------	-------------------------------

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Number of storage under top	Single storage in bottom portion
MATERIAL	Top material	Tempered glass
	Frame material	Other wood
DIMENSION & THICKNESS	Dimension of Top (Length X Breadth, or Diameter) ±20mm	965mmX457mm
	Height of centre table ±10 mm	430.0 (millimeter)
	Thickness of top material (+/-2 mm)	8.0 (millimeter)
	Thickness of frame material (+/- 1 mm)	36.0 (millimeter)
WARRANTY	Warranty period in number of years	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	14	45

Credenzas (1 pieces) (Under PAC)

Make	godrejinterio
------	---------------

Model	godrejinteriogrander8ftbackunit
-------	---------------------------------

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Mode of supply	Knocked Down to be assembled at consignee site by the seller
	Design of credenza unit	Compartments(With Shelves) only
	Number of drawers	N.A
	Number of compartments with shelves	Three Nos
	Number of shelves in each compartment	Four Nos
	Number of compartment without shelves	N.A
	Number of partition for compartment	Two Nos
	Number of compartment in each partition	Four Nos
	Type of doors for compartments	Shutter hung on side
	Number of doors	Four Nos
MATERIAL & MATERIAL THICKNESS	Material specification	0.8 mm thick CRCA sheet
	Material thickness of complete body,Fascia and drawer/compartment	5, 9, 12, 15, 19, 25, 38, 0.8 Or higher (millimeter)
	Material thickness for back, partition and drawer bottom/compartment shelves ±2mm	5, 9, 12, 15, 19, 25, 38 Or higher (millimeter)
	Skirting Thickness	3, 5, 9, 12, 15, 19 Or higher (millimeter)
	All plain panels edge to be banded	N.A
DIMENSION	Width of credenza unit ± 20mm	2400 mm
	Height of credenza unit ±20 mm	2000 mm
	Depth of credenza unit ±20mm	450 mm
MISC	Locking System provided	YES

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
WARRANTY	Warranty period in number of years	1
CERTIFICATION	Test reports to be furnished to buyer on demand	NO
	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	1	45

Credenzas (2 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriocignusbackunit1800w500d1100hcredenza

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Mode of supply	Knocked Down to be assembled at consignee site by the seller
	Design of credenza unit	Compartments(With Shelves) only
	Number of drawers	N.A
	Number of compartments with shelves	One Nos
	Number of shelves in each compartment	One Nos
	Number of compartment without shelves	One Nos
	Number of partition for compartment	One Nos
	Number of compartment in each partition	N.A
	Type of doors for compartments	Sliding shutter
	Number of doors	Two Nos
MATERIAL & MATERIAL THICKNESS	Material specification	Flat single layer prelaminated MDF board conforming to designation PLMDF-203 of IS 14587/Latest having balancing laminated of 0.5mm thick on other side
	Material thickness of complete body,Fascia and drawer/compartment	25, 38 Or higher (millimeter)
	Material thickness for back, partition and drawer bottom/compartment shelves ±2mm	25, 38 Or higher (millimeter)
	Skirting Thickness	12, 15, 19 Or higher (millimeter)
	All plain panels edge to be banded	With 0.8-1.0 mm thick PVC tape with the help of hot melt glue
DIMENSION	Width of credenza unit ± 20mm	1700 mm
	Height of credenza unit ±20 mm	800 mm
	Depth of credenza unit ±20mm	510 mm
MISC	Locking System provided	YES
WARRANTY	Warranty period in number of years	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	Product having BIFMA certification	NO

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	NO

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	2	45

Credenzas (8 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriotopazbackunit1650w450d750h

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Mode of supply	Knocked Down to be assembled at consignee site by the seller
	Design of credenza unit	Compartments(With Shelves) only
	Number of drawers	N.A
	Number of compartments with shelves	One Nos

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of shelves in each compartment	One Nos
	Number of compartment without shelves	N.A
	Number of partition for compartment	One Nos
	Number of compartment in each partition	N.A
	Type of doors for compartments	Sliding shutter
	Number of doors	Two Nos
MATERIAL & MATERIAL THICKNESS	Material specification	Prelaminated particle board of grade II type III of IS 12823/Latest.Both side laminated. Outer side laminated with shade matching with top shade and facia shade and having balancing laminate of 0.5mm thickness on other side
	Material thickness of complete body,Fascia and drawer/compartment	25, 38 Or higher (millimeter)
	Material thickness for back, partition and drawer bottom/compartment shelves ± 2 mm	25, 38 Or higher (millimeter)
	Skirting Thickness	12, 15, 19 Or higher (millimeter)
	All plain panels edge to be banded	With 0.8-1.0 mm thick PVC tape with the help of hot melt glue
DIMENSION	Width of credenza unit ± 20 mm	1600 mm
	Height of credenza unit ± 20 mm	750 mm
	Depth of credenza unit ± 20 mm	450 mm
MISC	Locking System provided	YES
WARRANTY	Warranty period in number of years	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	8	45

Credenzas (17 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinterioaristobckunt1650w750h

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Mode of supply	Knocked Down to be assembled at consignee site by the seller
	Design of credenza unit	Compartments(With Shelves) only
	Number of drawers	N.A
	Number of compartments with shelves	Two Nos
	Number of shelves in each compartment	One Nos
	Number of compartment without shelves	N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of partition for compartment	One Nos
	Number of compartment in each partition	N.A
	Type of doors for compartments	Sliding shutter
	Number of doors	Two Nos
MATERIAL & MATERIAL THICKNESS	Material specification	Flat single layer prelaminated MDF board conforming to designation PLMDF-203 of IS 14587/Latest having balancing laminated of 0.5mm thick on other side
	Material thickness of complete body,Fascia and drawer/compartment	25, 38 Or higher (millimeter)
	Material thickness for back, partition and drawer bottom/compartment shelves ± 2 mm	25, 38 Or higher (millimeter)
	Skirting Thickness	12, 15, 19 Or higher (millimeter)
	All plain panels edge to be banded	With 0.8-1.0 mm thick PVC tape with the help of hot melt glue
DIMENSION	Width of credenza unit ± 20 mm	1600 mm
	Height of credenza unit ± 20 mm	750 mm
	Depth of credenza unit ± 20 mm	510 mm
MISC	Locking System provided	YES
WARRANTY	Warranty period in number of years	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	17	45

Almirah Steel (V2) (76 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriovsdu8

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	Type of Almirah steel	Almirah Steel with Glass door
	Number of door	2
	Number of drawers required	No Drawer
	Number of shelves	4
	Colour of finish	Prince Grey
MATERIAL	Steel sheet material	CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)
	Sheet rounds and flats	N.A
DIMENSION	Almirah height(excluding the height of pedestal) ± 5 mm	1830 mm
	Almirah width ± 5 mm	900 mm
	Almirah depth ± 5 mm	450 mm
	Side sheet thickness	0.8 mm
	Back sheet thickness	0.8 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Top sheet thickness	0.8 mm
	Bottom sheet thickness	0.8 mm
	Shelves sheet thickness	0.8 mm
	Shelves supporting bracket thickness	2 mm
	Hinges sheet thickness	1.25 mm(double folded)
	Hanging rod wall thickness	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Width of stiffener	N.A
	Stiffener sheet thickness	N.A
	Number of glass sheet fixed	2
	Handle size	12.6 cm
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock	Active Pin System
	Material of lock	MAZAK Zinc plated
FINISH	Finish coat with enamels	N.A
	Powder coating	Conforming to IS: 13871

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	76	45

Almirah Steel (V2) (230 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriostorwelplain

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	Type of Almirah steel	Almirah Steel shelving cabinets
	Number of door	2
	Number of drawers required	No Drawer
	Number of shelves	4
	Colour of finish	White
MATERIAL	Steel sheet material	CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)
	Sheet rounds and flats	N.A
DIMENSION	Almirah height(excluding the height of pedestal) ± 5 mm	1980 mm
	Almirah width ± 5 mm	920 mm
	Almirah depth ± 5 mm	480 mm
	Side sheet thickness	0.9 mm
	Back sheet thickness	0.8 mm
	Top sheet thickness	0.9 mm
	Bottom sheet thickness	0.9 mm
	Shelves sheet thickness	0.7 mm
	Shelves supporting bracket thickness	1.6 mm
	Hinges sheet thickness	1.6 mm
	Hanging rod wall thickness	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Width of stiffener	115 mm
	Stiffener sheet thickness	0.6 mm
	Number of glass sheet fixed	N.A
Handle size	12 cm	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock	Six lever lock
	Material of lock	Finish having brass levers and MAZAK/ZAMAK bolt having Zinc plated finish along with MAZAK/ZAMAK handle
FINISH	Finish coat with enamels	N.A
	Powder coating	Conforming to IS: 13871

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	230	45

Almirah Steel (V2) (32 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriominorplain

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	Type of Almirah steel	Almirah Steel shelving cabinets
	Number of door	2

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of drawers required	No Drawer
	Number of shelves	3
	Colour of finish	Prince Grey
MATERIAL	Steel sheet material	CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)
	Sheet rounds and flats	N.A
DIMENSION	Almirah height(excluding the height of pedestal) \pm 5 mm	1270 mm
	Almirah width \pm 5 mm	760 mm
	Almirah depth \pm 5 mm	430 mm
	Side sheet thickness	0.9 mm
	Back sheet thickness	0.8 mm
	Top sheet thickness	0.9 mm
	Bottom sheet thickness	0.9 mm
	Shelves sheet thickness	0.6 mm
	Shelves supporting bracket thickness	1.6 mm
	Hinges sheet thickness	1.6 mm
	Hanging rod wall thickness	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Width of stiffener	115 mm
	Stiffener sheet thickness	0.6 mm
	Number of glass sheet fixed	N.A
	Handle size	12 cm
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock	Six lever lock
	Material of lock	Steel with zinc plated
FINISH	Finish coat with enamels	N.A
	Powder coating	Conforming to IS: 13871

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	32	45

Almirah Steel (V2) (12 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriogainprostorage900wmetalwithcl

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	Type of Almirah steel	Almirah Steel shelving cabinets
	Number of door	2
	Number of drawers required	No Drawer
	Number of shelves	5
	Colour of finish	White
MATERIAL	Steel sheet material	CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)
	Sheet rounds and flats	N.A
DIMENSION	Almirah height(excluding the height of pedestal) ± 5 mm	1980 mm
	Almirah width ± 5 mm	900 mm
	Almirah depth ± 5 mm	430 mm
	Side sheet thickness	0.8 mm
	Back sheet thickness	0.8 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Top sheet thickness	0.8 mm
	Bottom sheet thickness	0.8 mm
	Shelves sheet thickness	0.6 mm
	Shelves supporting bracket thickness	1.6 mm
	Hinges sheet thickness	1.6 mm
	Hanging rod wall thickness	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Width of stiffener	N.A
	Stiffener sheet thickness	N.A
	Number of glass sheet fixed	N.A
	Handle size	12 cm
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock	Six lever lock
	Material of lock	MAZAK Zinc plated
FINISH	Finish coat with enamels	N.A
	Powder coating	Conforming to IS: 13871

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	12	45

Almirah Steel (V2) (36 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriovdsdu12metaltop

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	Type of Almirah steel	Almirah Steel shelving cabinets
	Number of door	2
	Number of drawers required	No Drawer
	Number of shelves	4
	Colour of finish	White
MATERIAL	Steel sheet material	CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)
	Sheet rounds and flats	N.A
DIMENSION	Almirah height(excluding the height of pedestal) ± 5 mm	1155 mm
	Almirah width ± 5 mm	920 mm
	Almirah depth ± 5 mm	430 mm
	Side sheet thickness	0.8 mm
	Back sheet thickness	0.8 mm
	Top sheet thickness	0.8 mm
	Bottom sheet thickness	0.8 mm
	Shelves sheet thickness	0.8 mm
	Shelves supporting bracket thickness	1.6 mm
	Hinges sheet thickness	1.6 mm
	Hanging rod wall thickness	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Width of stiffener	115 mm
	Stiffener sheet thickness	0.6 mm
	Number of glass sheet fixed	N.A
Handle size	12 cm	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock	Six lever lock
	Material of lock	MAZAK Zinc plated
FINISH	Finish coat with enamels	N.A
	Powder coating	Conforming to IS: 13871

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	36	45

Modular Metal Drawer File Cabinet Pedestal (107 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinterionovapedestal390mmwx440mmdx646mmh

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Product consists of	File drawer and Box drawer both
	Number of File drawers	1.0 - 8.0 Or higher
	Number of Box drawers	2.0 - 4.0 Or higher
	Partition in File drawer	No
	Partition in Box drawer	No
	Pencil tray	Not available

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Lock System	Central locking system with Cam lock and central right handed locking with actuator lever and locking channel mechanism
	Mounted below type	Castor
DIMENSIONS	Overall height	646.0 - 900.0 Or higher (millimeter)
	Overall width	400.0 - 750.0 Or higher (millimeter)
	Overall depth	440.0 - 500.0 Or higher (millimeter)
MATERIAL and THICKNESS	Body shell thickness	0.8 - 1.2 Or higher (millimeter)
	Bottom thickness	0.8 - 1.2 Or higher (millimeter)
	Pedestal side stiffeners thickness	0.8 - 1.2 Or higher (millimeter)
	Additional decorative Pedestal Top thickness Hint : select '0' if not applicable	0.0 - 18.0 Or higher (millimeter)
	File/Box drawer front thickness	0.6 - 1.2 Or higher (millimeter)
	Additional decorative File/Box drawer Front thickness Hint : select '0' if not applicable	0.0 - 18.0 Or higher (millimeter)
	File/Box drawer Tray and Back thickness	0.5 - 1.0 Or higher (millimeter)
WARRANTY	Warranty in number of years	1.0 - 3.0 Or higher

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	107	45

Steel Clothes Lockers (Version 2) As Per IS 3314 (379 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriogainpro2doorpluwithcamlock

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of Steel Clothes Lockers	6 - Locker type
	Locking arrangement (with duplicate Key)	Internal locking arrangement (for 6 and 8 locker type)
	Assembly type	Screwing
MATERIAL	Steel sheet material (Hint: For component manufacturing)	Cold reduced carbon steel sheet conforming to CR0 grade of IS 513:2016 (with latest amendment)
	Handle of each door made up of	Painted mild steel
	Hanging rod made up of	No Hanging rod
COLOUR AND FINISH	Finish	Finish coat with enamels conforming to IS 151(latest)
	Colour of finish	Ash Gray
TESTING AND CERTIFICATION	Availability of test report from NABL /ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test reports to be furnished to buyer on demand, if claimed to be available	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	379	45

Steel Clothes Lockers (Version 2) As Per IS 3314 (616 pieces) (Under PAC)

Make	godrejinterio
Model	gainpropersonallocker4door

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of Steel Clothes Lockers	6 - Locker type
	Locking arrangement (with duplicate Key)	Internal locking arrangement (for 6 and 8 locker type)
	Assembly type	Screwing
MATERIAL	Steel sheet material (Hint: For component manufacturing)	Cold reduced carbon steel sheet conforming to CR0 grade of IS 513:2016 (with latest amendment)
	Handle of each door made up of	Painted mild steel
	Hanging rod made up of	No Hanging rod
COLOUR AND FINISH	Finish	Finish coat with enamels conforming to IS 151(latest)
	Colour of finish	Off White
TESTING AND CERTIFICATION	Availability of test report from NABL /ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test reports to be furnished to buyer on demand, if claimed to be available	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	616	45

Modular Work Stations (V2) (123 per seat) (Under PAC)

Make	godrejinterio
Model	godrejinteriowishrecta1200wx600d

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of system	Hybrid panel based system (combination of sliding & snap fit tiles)
	Type / Shape of cluster	Single Seater Rectangular Cluster
CONSTRUCTION	Wire Management for electric switch	Above the table Top
INSTALLATION COMMISSIONING	INSTALLATION COMMISSIONING	The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
MATERIAL	Frame material for work station	Powder Coated Extruded Aluminium Sections
	Work top support material	Gable end made of prelaminate particle board
	Material of table top	Prelaminated particle board Grade II type II conforming to IS 12823/Latest
	Table top finish material	Paper based laminate
	Thickness of table top finish	NA
	Thickness of under table top finish	NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Material of tiles for top	Fabric magnetic
	Material of intermediate tiles	Fabric upholstered with Foam and Prelaminated particle board
	Material of bottom tiles	Metal tile powder coated
	Material of leg	M.S
	Type of leg	Loop leg
	Screen/Divider Material	NA
	Overhead Storage Provided	No Overhead Storage
DIMENSION	Length of table top (main frame) ±10 mm	1200 mm
	Length of table top (Return Frame)± 10mm	NA (For rectangular)
	Depth of table top ± 10mm	600 mm
	Thickness of table top ±2mm	25 mm
	Overall height of work station partition ±10mm	1200 mm
	Thickness of side partition/panel ±2mm	23 mm
	Thickness of main frame ±2 mm	50 mm
	leg size/Section	40 mm x 40 mm
	Thickness of leg/section /material	16 gauge
KEYBOARD TRAY	Material of keyboard tray	CRCA
	Material thickness of keyboard tray	0.9 mm (for metal)
PEDESTAL UNIT	Total number of Pedestal unit provided	1
	Construction of pedestal	Free standing full height without castor
	Total Number of drawers /storage in Pedestal units	Three drawers
CERTIFICATION	Test reports to be furnished to buyer on demand	No
WARRANTY	Warranty period	1 Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	123	45

Modular Work Stations (V2) (26 per seat) (Under PAC)

Make	godrejinterio
Model	godrejinteriowishpentamodule

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of system	Hybrid panel based system (combination of sliding & snap fit tiles)
	Type / Shape of cluster	Four Seater Plus Shape Cluster with Curvilinear Top
CONSTRUCTION	Wire Management for electric switch	Above the table Top
INSTALLATION COMMISSIONING	INSTALLATION COMMISSIONING	The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
MATERIAL	Frame material for work station	Powder Coated Extruded Aluminium Sections
	Work top support material	Gable end made of prelaminate particle board
	Material of table top	Prelaminated particle board Grade II type II conforming to IS 12823/Latest
	Table top finish material	Paper based laminate
	Thickness of table top finish	NA
	Thickness of under table top finish	NA
	Material of tiles for top	Fabric magnetic

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Material of intermediate tiles	Fabric upholstered with Foam and Prelaminated particle board
	Material of bottom tiles	Metal tile powder coated
	Material of leg	M.S
	Type of leg	Loop leg
	Screen/Divider Material	NA
	Overhead Storage Provided	No Overhead Storage
DIMENSION	Length of table top (main frame) ±10 mm	1500 mm
	Length of table top (Return Frame)± 10mm	1500 mm
	Depth of table top ± 10mm	600 mm
	Thickness of table top ±2mm	25 mm
	Overall height of work station partition ±10mm	1200 mm
	Thickness of side partition/panel ±2mm	23 mm
	Thickness of main frame ±2 mm	50 mm
	leg size/Section	40 mm x 40 mm
	Thickness of leg/section /material	16 gauge
KEYBOARD TRAY	Material of keyboard tray	CRCA
	Material thickness of keyboard tray	0.8 mm (for metal)
PEDESTAL UNIT	Total number of Pedestal unit provided	1
	Construction of pedestal	Free standing full height without castor
	Total Number of drawers /storage in Pedestal units	Three drawers
CERTIFICATION	Test reports to be furnished to buyer on demand	No
WARRANTY	Warranty period	1 Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	26	45

Modular Work Stations (V2) (10 per seat) (Under PAC)

Make	godrejinterio
Model	godrejinteriowishpentamodule

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of system	Hybrid panel based system (combination of sliding & snap fit tiles)
	Type / Shape of cluster	Four Seater Plus Shape Cluster with Curvilinear Top
CONSTRUCTION	Wire Management for electric switch	Above the table Top
INSTALLATION COMMISSIONING	INSTALLATION COMMISSIONING	The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
MATERIAL	Frame material for work station	Powder Coated Extruded Aluminium Sections
	Work top support material	Gable end made of prelaminated particle board
	Material of table top	Prelaminated particle board Grade II type II conforming to IS 12823/Latest
	Table top finish material	Paper based laminate
	Thickness of table top finish	NA
	Thickness of under table top finish	NA
	Material of tiles for top	Fabric magnetic
	Material of intermediate tiles	Fabric upholstered with Foam and Prelaminated particle board

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Material of bottom tiles	Metal tile powder coated
	Material of leg	M.S
	Type of leg	Loop leg
	Screen/Divider Material	NA
	Overhead Storage Provided	No Overhead Storage
DIMENSION	Length of table top (main frame) ±10 mm	1500 mm
	Length of table top (Return Frame)± 10mm	1200 mm
	Depth of table top ± 10mm	600 mm
	Thickness of table top ±2mm	25 mm
	Overall height of work station partition ±10mm	1200 mm
	Thickness of side partition/panel ±2mm	23 mm
	Thickness of main frame ±2 mm	50 mm
	leg size/Section	40 mm x 40 mm
	Thickness of leg/section /material	16 gauge
	KEYBOARD TRAY	Material of keyboard tray
Material thickness of keyboard tray		0.8 mm (for metal)
PEDESTAL UNIT	Total number of Pedestal unit provided	1
	Construction of pedestal	Free standing full height without castor
	Total Number of drawers /storage in Pedestal units	Three drawers
CERTIFICATION	Test reports to be furnished to buyer on demand	No
WARRANTY	Warranty period	1 Year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051, Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	10	45

Revolving Chair (V3) (148 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriohalorevolvingvisitor

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Tilt mechanism	Only Revolving without tilting mechanism
	Locking mechanism	No Locking (Fixed type)
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Fixed
	Backrest type	Fixed type
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Aluminium die Cast
	Armrest Material	PU molded over metal insert
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	Leather
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Backrest upholstery material	Leather
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum width of seat	500 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Black
	Upholstered material backrest color	Black

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajesh Atmaram Patil	400051,Mumbai Metro Rail Corporation Limited, MMRCL Transit Office Building, A Wing, E Block, North Side of City Park, Behind Income Tax Office, Bandra Kurla Complex, Bandra (East) Mumbai 400051	148	45

Special terms and conditions-Version:1 effective from 18-10-2022 for category medical stools or chairs

1.

- 1. Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service

charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

2. **Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
3. **Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
4. **Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
5. **Spare Parts:** Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
6. **Installation, Training, Manuals:** Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
7. **Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
8. **Software:** All software updates should be provided free of cost during warranty period.
9. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

Special terms and conditions-Version:1 effective from 29-03-2023 for category Modular Work Stations (V2)

1. After award of contract- Successful bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful bidder shall submit Detailed Design Drawing for Buyers approval within 7 working days of award of contract .Buyer shall either approve the Drawings or will provide complete list of modification required in the drawings within 7 working days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If

there is delay from buyer side in approval of drawing-the delivery period shall be re-fixed without LD for the period of delay in approval of Drawing.

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

As per ATC
As per ATC
As per ATC
As per ATC
As per ATC
.

3. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

4. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 5 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

5. Generic

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

6. Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

7. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

8. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

9. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

10. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

11. **Inspection**

Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER): Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises (or at designated place for inspection as declared / communicated by the seller) for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the Buyer. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages.

When there is requirement of submission the advance sample, the seller shall inform the buyer promptly through emails about the date of submission of sample to the buyer nominated Inspection agency.

12. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

13. **Warranty**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

14. **Forms of EMD and PBG**

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

Mumbai Metro Rail Corporation Limited
Account No.
35160137534
IFSC Code
SBIN0000300
Bank Name
State Bank Of India

Branch address

MUMBAI MAIN BRANCH MUMBAI SAMACHAR MARG HORNIMAN CIRCLE. FORT MUMBAI, MAHARASHTRA 400 001

. Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

15. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

Mumbai Metro Rail Corporation Limited

Account No.

35160137534

IFSC Code

SBIN000300

Bank Name

State Bank Of India

Branch address

MUMBAI MAIN BRANCH MUMBAI SAMACHAR MARG HORNIMAN CIRCLE. FORT MUMBAI, MAHARASHTRA 400 001

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

16. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.

13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---