



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2025/B/5943440
Dated/दिनांक : 14-02-2025

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	24-02-2025 16:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	24-02-2025 16:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Housing & Urban Affairs (mohua)
Department Name/विभाग का नाम	Urban Transport
Organisation Name/संगठन का नाम	Mumbai Metro Rail Corporation
Office Name/कार्यालय का नाम	Mumbai Metro Rail Corporation Limited
क्रैता ईमेल/Buyer Email	buycon4.mmrc.mh@gembuyer.in
Total Quantity/कुल मात्रा	652
Item Category/मद केटेगरी	Cafeteria Chair (Q2) (PAC Only) , Office Chair (V3) (Q2) (PAC Only) , Revolving Chair (V4) (Q2) (PAC Only) , Modular Metal Drawer File Cabinet Pedestal (Q3) (PAC Only) , Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313 (Q2) (PAC Only) , Steel Clothes Lockers (V3) confirming to IS 3314 (Q2) (PAC Only) , Executive Table (V3) (Q2) (PAC Only) , Modular Table (V2) (Q2) (PAC Only) , Bunk Beds as per IS 17636 (Q2) (PAC Only) , Deposit Safe (Non Tool Resistant) (Q3) (PAC Only) , Steel Bookcases confirming to IS 7761 (V2) (Q2) (PAC Only) , Steel Shelving Cabinets (Adjustable Type) confirming to IS 3312 (V3) (Q2) (PAC Only)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	44 Lakh (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No

Bid Details/बिड विवरण

Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	40 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Steel Clothes Lockers (V3) confirming to IS 3314
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	217766

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) /ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	14

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this

Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

MMRC

Mumbai Metro Rail Corporation Limited, Urban Transport, Mumbai Metro Rail Corporation, Ministry of Housing & Urban Affairs (MoHUA)

(Mmrc)

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	No
---	----

Details of the Competent Authority for MSE

Name of Competent Authority	Mr. Sunil Kumar
Designation of Competent Authority	GM/Operations
Office / Department / Division of Competent Authority	MMRC
CA Approval Number	MMRCL/SYS/OPERATIONS/FURNITURE
Competent Authority Approval Date	06-02-2025
Brief Description of the Approval Granted by Competent Authority	Procurement is being done on PAC basis from M/s Godrej.

Competent Authority Approval for not opting Micro and Small Enterprises Preference : [View Document](#)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

Details of the Competent Authority for MII

Name of Competent Authority	Mr. Sunil Kumar
Designation of Competent Authority	GM/Operations
Office / Department / Division of Competent Authority	MMRC
CA Approval Number	MMRCL/SYS/OPERATIONS/FURNITURE
Competent Authority Approval Date	06-02-2025
Brief Description of the Approval Granted by Competent Authority	Procurement is being done on PAC basis from M/s Godrej.

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

Details of the Competent Authority approval for PAC

Competent Authority Approval document for PAC : [View Document](#)

Name of Competent Authority	Mr. Sunil Kumar
Designation of Competent Authority	GM/Operations
Office / Department / Division of Competent Authority	MMRC
CA Approval Number	MMRC/SYS/Operations/Furniture
Competent Authority Approval Date	2025-02-06 00:00:00
Brief Description of the Approval Granted by Competent Authority	Procurement of Godrej make furniture in line with the company's furniture policy.

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Cafeteria Chair (92 pieces) (Under PAC)

Make	godrejinterio
Model	unwindmsunderstructurechairwithoutarmrest

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Shape of the Cafeteria Chair Seat	Square
	Chair Armrest	Without Armrest
Material	Material of Chair Seat	Moulded Plastic
	Seat with Cushion	No
	Thickness of Cushion for Seat	0.0 - 150.0 Or higher (millimeter)
	Density of Seat Cushion Kg/m³	0.0 - 50.0 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Upholstery Material of Seat	Not Applicable
	Material of Chair Back	Moulded Plastic
	Back with Cushion	No
	Thickness of Cushion for Back	0.0 - 150.0 Or higher (millimeter)
	Density of Back Cushion Kg/m ³	0.0 - 50.0 Or higher
	Upholstery Material of Back	Not Applicable
	Material of the Chair Under structure	MS Powder Coated
Dimensions	Height of Chair Seat from ground with a tolerance of ± 10 mm	445.0 - 600.0 Or higher (millimeter)
	Overall Height of Chair from ground with a tolerance of ± 10 mm	845.0 - 1100.0 Or higher (millimeter)
Warranty	Warranty Period	1, 2, 3 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manish Vilas Sawant	400051,MMRC TRANSIT OFFICE BUILDING, A WING E BLOCK NORTH SIDE OF CITY PARK BEHIND INCOME TAX OFFICE BANDRA KURLA COMPLEX BANDRA EAST MUMBAI 400051	92	45

Office Chair (V3) (132 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriobravovisitorchair

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair type	Non-revolving and non-tilting chair with armrest
UNDERSTRUCTURE	Chair understructure type	Cantilever
	Understructure material	ERW tube conforming to IS : 1161 latest
	The shape of tubular section of understructure	Round
	Section Size (Diameter/Sides) of understructure	25 mm
	Understructure wall thickness (mm)	2
	Castor	No
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	>40<=50
	Thickness of PU used in seat (mm)	>30<=40
	Minimum seat height from floor surface (mm)	>400<=500
	Width of seat (mm)	>400<=450
	Depth of seat (mm)	>400<=450
	Seat upholstery material	Polyester fabric
BACKREST	Backrest base frame material	Hot pressed plywood
	Backrest material	PU foam
	Density of PU used in backrest (kg per cubic meter)	>40<=50
	Thickness of PU used in backrest (mm)	>30<=40
	Width of backrest (mm)	>400<=450
	Backrest height from the seat level	>450<=550
	Backrest upholstery material	Polyester fabric
ARMREST	Armrest type	Overhanging armrest
	Armrest movement	Fixed
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Manish Vilas Sawant	400051,MMRC TRANSIT OFFICE BUILDING, A WING E BLOCK NORTH SIDE OF CITY PARK BEHIND INCOME TAX OFFICE BANDRA KURLA COMPLEX BANDRA EAST MUMBAI 400051	132	45

Revolving Chair (V4) (45 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriogreta2.0fullbackchair

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	Mid Back
UNDERSTRUCTURE	Tilt mechanism	Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher
	Seat depth adjustment	Adjustable, Fixed type Or higher
	Revolving mechanism	Designed with 360 degree-revolving type
	Pedestal base	Glass filled nylon
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	2.0 - 6.0 Or higher (millimeter)
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	>40<=50
	Thickness of PU used in seat (mm)	>40<=50

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Minimum seat height from floor surface (mm)	>400<=500
	Width of seat (mm)	>500
	Depth of seat (mm)	>450<=500
	Seat upholstery material	Polyester fabric
BACKREST	Backrest type	Flexi back Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Adjustable lumber support
	Backrest base frame material	Injection moulded plastic
	Density of PU used in backrest (kg per cubic meter)	NA
	Thickness of PU used in backrest (mm)	NA
	Width of backrest (mm)	>450<=500
	Backrest height from the seat level	>550
	Backrest upholstery material	Mesh fabrics
ARMREST	Armrest type and arm movement	Adjustable (left, right, up, down, front, back)
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manish Vilas Sawant	400051,MMRC TRANSIT OFFICE BUILDING, A WING E BLOCK NORTH SIDE OF CITY PARK BEHIND INCOME TAX OFFICE BANDRA KURLA COMPLEX BANDRA EAST MUMBAI 400051	45	45

Revolving Chair (V4) (20 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriohalorevolvingvisitorchair

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	Mid Back
UNDERSTRUCTURE	Tilt mechanism	Only revolving without tilting mechanism, Revolving with back tilting, Center tilt mechanism, Knee tilt mechanism, Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	No locking (Fixed type), Back tilt and locking, Upright locking, Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher
	Seat depth adjustment	Adjustable, Fixed type Or higher
	Revolving mechanism	Designed with 360 degree-revolving type
	Pedestal base	Aluminium die cast
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	6.0 - 6.0 Or higher (millimeter)
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	>40<=50
	Thickness of PU used in seat (mm)	>40<=50
	Minimum seat height from floor surface (mm)	>500
	Width of seat (mm)	>500
	Depth of seat (mm)	>450<=500
	Seat upholstery material	Leather
BACKREST	Backrest type	Flexi back, Tilting type, Fixed type Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Contoured back / Without lumber support
	Backrest base frame material	Hot pressed plywood

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Density of PU used in backrest (kg per cubic meter)	>40<=50
	Thickness of PU used in backrest (mm)	>40<=50
	Width of backrest (mm)	>500
	Backrest height from the seat level	>550
	Backrest upholstery material	Leather
ARMREST	Armrest type and arm movement	Fixed
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manish Vilas Sawant	400051,MMRC TRANSIT OFFICE BUILDING, A WING E BLOCK NORTH SIDE OF CITY PARK BEHIND INCOME TAX OFFICE BANDRA KURLA COMPLEX BANDRA EAST MUMBAI 400051	20	45

Revolving Chair (V4) (1 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriohaloveryhighbackchair

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	High Back
UNDERSTRUCTURE	Tilt mechanism	Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	5 Position locking, Multi position locking Or higher
	Seat depth adjustment	Adjustable Or higher
	Revolving mechanism	Designed with 360 degree-revolving type
	Pedestal base	Aluminium die cast
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	6.0 - 6.0 Or higher (millimeter)
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	>40<=50
	Thickness of PU used in seat (mm)	>40<=50
	Minimum seat height from floor surface (mm)	>500
	Width of seat (mm)	>500
	Depth of seat (mm)	>450<=500
	Seat upholstery material	Leather
BACKREST	Backrest type	Flexi back Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Contoured back / Without lumber support
	Backrest base frame material	Hot pressed plywood
	Density of PU used in backrest (kg per cubic meter)	>40<=50
	Thickness of PU used in backrest (mm)	>40<=50
	Width of backrest (mm)	>500
	Backrest height from the seat level	>550
	Backrest upholstery material	Leather
ARMREST	Armrest type and arm movement	Fixed

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manish Vilas Sawant	400051,MMRC TRANSIT OFFICE BUILDING, A WING E BLOCK NORTH SIDE OF CITY PARK BEHIND INCOME TAX OFFICE BANDRA KURLA COMPLEX BANDRA EAST MUMBAI 400051	1	45

Modular Metal Drawer File Cabinet Pedestal (64 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinterionovapedestal390mmwx440mmdx646mmh

Technical Specifications/तकनीकी विशिष्टियाँ

* [जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Product consists of	File drawer and Box drawer both
	Number of File drawers	1.0 - 8.0 Or higher
	Number of Box drawers	2.0 - 4.0 Or higher
	Partition in File drawer	No
	Partition in Box drawer	No
	Pencil tray	Not available
	Lock System	Central locking system with Cam lock and central right handed locking with actuator lever and locking channel mechanism
	Mounted below type	Castor
DIMENSIONS	Overall height	646.0 - 900.0 Or higher (millimeter)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Overall width	400.0 - 750.0 Or higher (millimeter)
	Overall depth	440.0 - 500.0 Or higher (millimeter)
MATERIAL and THICKNESS	Body shell thickness	0.8 - 1.2 Or higher (millimeter)
	Bottom thickness	0.8 - 1.2 Or higher (millimeter)
	Pedestal side stiffeners thickness	0.8 - 1.2 Or higher (millimeter)
	Additional decorative Pedestal Top thickness Hint : select '0' if not applicable	0.0 - 18.0 Or higher (millimeter)
	File/Box drawer front thickness	0.6 - 1.2 Or higher (millimeter)
	Additional decorative File/Box drawer Front thickness Hint : select '0' if not applicable	0.0 - 18.0 Or higher (millimeter)
	File/Box drawer Tray and Back thickness	0.5 - 1.0 Or higher (millimeter)
WARRANTY	Warranty in number of years	1.0 - 3.0 Or higher

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manish Vilas Sawant	400051,MMRC TRANSIT OFFICE BUILDING, A WING E BLOCK NORTH SIDE OF CITY PARK BEHIND INCOME TAX OFFICE BANDRA KURLA COMPLEX BANDRA EAST MUMBAI 400051	64	45

Steel Filing Cabinets For General Office Purpose (V2) As Per IS 3313 (6 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriovfc4drawerfilingcabinet

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of steel filing cabinets	Four - drawer type
	Type of drawer suspension	Ball-slide
MATERIAL	Steel sheet material	Cold-reduced carbon steel sheet conforming to CR0 grade of IS 513:2016 (with the latest amendment)
	Cradle strips material	Not Applicable
LOCKS	Lock type	CAM lock
DIMENSION	Overall height from finished floor level to top of the cabinet including pedestal	1320 mm (for four drawer types)
COLOUR AND FINISH	Product colour	Grey
	Finish with	Epoxy polyester powder coated to the thickness of 50(+/-10)microns
TESTING AND CERTIFICATION	BIS marked	No
	Availability of test reports from AHSP /NABL /ILAC accredited or Central Government Lab to prove the conformity of products to the specification	No
	Test reports to be furnished to buyer on demand, if claimed to be available	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manish Vilas Sawant	400051,MMRC TRANSIT OFFICE BUILDING, A WING E BLOCK NORTH SIDE OF CITY PARK BEHIND INCOME TAX OFFICE BANDRA KURLA COMPLEX BANDRA EAST MUMBAI 400051	6	45

Steel Clothes Lockers (V3) Confirming To IS 3314 (131 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriogainproplu4drmainaddoncl

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS AND CERTIFICATIONS	Governing Standard	Conformity to IS : 3314 - 2020
MATERIAL AND FINISH REQUIREMENTS	Types of Clothes Lockers	8-locker type

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manish Vilas Sawant	400051,MMRC TRANSIT OFFICE BUILDING, A WING E BLOCK NORTH SIDE OF CITY PARK BEHIND INCOME TAX OFFICE BANDRA KURLA COMPLEX BANDRA EAST MUMBAI 400051	131	45

Executive Table (V3) (7 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriotridentmiddlemaindeskwitheru

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Executive Table	Executive Table with Pedestal / Side Storage Unit
Table Understructure	Material Type of Table Understructure	Wooden/Engineer Wood Understructure

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Material of Table Understructure	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of modesty panel	Yes
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply Or higher
	Table Top Thickness (Tolerance ±5 mm)	25 mm
	Length of Table Top (Tolerance ±50 mm)	1650 mm
	Depth of Table Top (Tolerance ±20 mm)	600 mm
	Height of Table Top Adjustable	No
ERU	Material Type of ERU	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Width of ERU (Extended Return Unit) (Tolerance ±20 mm)	900 mm
	Depth of ERU (Extended Return Unit) (Tolerance ±20 mm)	450 mm
	Material of Door in ERU	Particle Board
Keyboard Tray	Availability of Keyboard Tray	No
Colour and Warranty	Warranty period (in number of months)	12, 24, 36, 48 Or higher (month)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manish Vilas Sawant	400051,MMRC TRANSIT OFFICE BUILDING, A WING E BLOCK NORTH SIDE OF CITY PARK BEHIND INCOME TAX OFFICE BANDRA KURLA COMPLEX BANDRA EAST MUMBAI 400051	7	45

Modular Table (V2) (15 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinterioenterprise1200withoutcpuhanger

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Understructure	Material Type of Table Understructure	Metal Understructure
	Support Type of Table Understructure	Leg
	Material of Table Understructure	Mild Steel, Aluminium Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm
	Thickness of Metal Legs Cross Section	1.2 mm
	Thickness of Wooden Leg (Tolerance ±2 mm)	NA
	Availability of modesty panel	No
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply Or higher
	Availability of Table top edge	Yes
	Thickness of Table Top Edge (Tolerance ±5 mm)	25 mm
	Table Top Edges	Straight
	Length of Table Top (Tolerance ±50 mm)	1200 mm
	Depth of Table Top (Tolerance ±20 mm)	600 mm
	Height of Table Top Adjustable	No
Pedestal	Availability of Pedestal / Storage Unit	Yes
Colour and Warranty	Warranty period (in number of months)	12, 24, 36, 48 Or higher (month)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manish Vilas Sawant	400051,MMRC TRANSIT OFFICE BUILDING, A WING E BLOCK NORTH SIDE OF CITY PARK BEHIND INCOME TAX OFFICE BANDRA KURLA COMPLEX BANDRA EAST MUMBAI 400051	15	45

Modular Table (V2) (43 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinterioenterprisetbl1650withcpuhanger

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Understructure	Material Type of Table Understructure	Metal Understructure
	Support Type of Table Understructure	Leg
	Material of Table Understructure	Mild Steel, Aluminium Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm
	Thickness of Metal Legs Cross Section	1.2 mm
	Thickness of Wooden Leg (Tolerance ± 2 mm)	NA
	Availability of modesty panel	Yes
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply Or higher
	Availability of Table top edge	Yes
	Thickness of Table Top Edge (Tolerance ± 5 mm)	25 mm
	Table Top Edges	Straight

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Length of Table Top (Tolerance ±50 mm)	1650 mm
	Depth of Table Top (Tolerance ±20 mm)	750 mm
	Height of Table Top Adjustable	No
Pedestal	Availability of Pedestal / Storage Unit	Yes
Colour and Warranty	Warranty period (in number of months)	12, 24, 36, 48 Or higher (month)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manish Vilas Sawant	400051,MMRC TRANSIT OFFICE BUILDING, A WING E BLOCK NORTH SIDE OF CITY PARK BEHIND INCOME TAX OFFICE BANDRA KURLA COMPLEX BANDRA EAST MUMBAI 400051	43	45

Modular Table (V2) (7 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriotimeout8seaterpucoated

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Understructure	Material Type of Table Understructure	Metal Understructure
	Support Type of Table Understructure	Leg

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Material of Table Understructure	Mild Steel, Aluminium Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm
	Thickness of Metal Legs Cross Section	0.8 mm, 1.6 mm
	Thickness of Wooden Leg (Tolerance ±2 mm)	NA
	Availability of modesty panel	No
Table Top	Table Top Material Type	MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply Or higher
	Availability of Table top edge	Yes
	Thickness of Table Top Edge (Tolerance ±5 mm)	25 mm
	Table Top Edges	Chamfered
	Length of Table Top (Tolerance ±50 mm)	2250 mm
	Depth of Table Top (Tolerance ±20 mm)	1200 mm
	Height of Table Top Adjustable	No
Pedestal	Availability of Pedestal / Storage Unit	No
Colour and Warranty	Warranty period (in number of months)	12, 24, 36, 48 Or higher (month)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manish Vilas Sawant	400051,MMRC TRANSIT OFFICE BUILDING, A WING E BLOCK NORTH SIDE OF CITY PARK BEHIND INCOME TAX OFFICE BANDRA KURLA COMPLEX BANDRA EAST MUMBAI 400051	7	45

Bunk Beds As Per IS 17636 (2 pieces) (Under PAC)

Make	godrejinterio
Model	bunkbed-14242

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic Parameters	Type of bunk beds	2 - Tier bunk beds (Fixed)
	Railing / guard rail at upper bed	Fixed
	Tail board	With
	Shape of tail board	Rectangular
	Head rest	With
	Shape of headrest	Rectangular
	Provision for mosquito net holding rod	Fixed
	Components assembly	With screws, bolt and washer
	Provision of mattress panel	With
	Mode of supply	Knocked Down - To Be Assembled At Consignee Site By The Seller
	Type of Surface upholstery	NA
Dimensions	Bed Dimensions (Length x Width) (±5 mm)	Adult (1910 mm x 965 mm)
	Height of entire structure (±5 mm) - excluding Mosquito net holding rods (minimum ceiling clearance to be 760 mm)	1600.0 (millimeter)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Height of lower tier (± 5 mm) (Buyer should be careful while selecting keeping in mind minimum ceiling clearance as required ideally 760 mm minimum)	405.0 (millimeter)
	Gap between beds (clear distance between the upper and lower bed bases in mm) (± 5 mm)	850, 915, 1000, 1067 Or higher (millimeter)
Construction	Structure of metal bed frame including legs and head / tails / railing /supporting structure	MS hollow box rectangular or square sections
	Vertical leg structure sections (tolerance ± 2 mm excluding wall thickness)	Tube of size 38.1 mm X 38.1 mm with 1.6 mm wall thickness
	Supporting structure of horizontals sections (tolerance ± 2 mm excluding wall thickness)	Tube of size 50 mm X 25 mm with 1.2 mm wall thickness
	Other joining horizontal structure sections (tolerance ± 2 mm excluding wall thickness)	Tube of size 25 mm X 25 mm with 1.2 mm wall thickness
	Stair rail sections for upper level (tolerance ± 2 mm excluding wall thickness)	Tube of size 50 mm X 25 mm with 1.2 mm wall thickness
	Stair step sections (tolerance ± 2 mm excluding wall thickness)	Tube of size 19 mm X 19 mm with 1.2 mm wall thickness
	Material of mattress panel	Plywood
	Thickness of mattress panel	12 mm Ply
	Upper bed support rail sections (tolerance ± 2 mm excluding wall thickness)	Tube of size 50 mm X 25 mm with 1.2 mm wall thickness
	Head board sections (tolerance ± 2 mm excluding wall thickness)	Tube of size 50 mm X 25 mm and 25 mm X 25 mm with 1.2 mm wall thickness
Tail board sections (tolerance ± 2 mm excluding wall thickness)	Tube of size 50 mm X 25 mm and 25 mm X 25 mm with 1.2 mm wall thickness	
Colour & Finish	Paint /Finish of Metal parts	Powder Coating
	Finish of head board / Tail board	Powder Coating
	Min Powder/paint coating thickness (Micron)	50 microns

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification & Warranty	Warranty period	1, 2, 3, 4, 5 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manish Vilas Sawant	400051,MMRC TRANSIT OFFICE BUILDING, A WING E BLOCK NORTH SIDE OF CITY PARK BEHIND INCOME TAX OFFICE BANDRA KURLA COMPLEX BANDRA EAST MUMBAI 400051	2	45

Deposit Safe (Non Tool Resistant) (6 pieces) (Under PAC)

Make	godrejsecuritysolutions
Model	godrej27-popsafe

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Configuration	Safe Deposit Box / Cabinet - for safe keeping of Paper / Cash / Documents
	Type	An Individually secured container for Paper / Cash / Documents
	Constructions	Single cabinet type - with single body and door
	Number of drawers	N.A
	Assembly of components	By combination of bolting , welding and riveting or screwing
	Welding	By method of gas welding conforming to IS 1323/Latest
	Number of shelves	1
	Main Locking arrangement	YES

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Secondary locking option	YES
	Snap shut mechanism on door	NO
	Annular sealing gasket between inner body and door	NO
	Fire seal	NO
	Key retention mechanism in drawers	N.A
	Sensor to detect attack on safe using tools (Power hammer, Power drill or similar)	NA
	Alarm transmission from inside of safe (safe is in locked condition)	N.A
	Alarm transmission	N.A
	Minimum battery life	N.A
	Time bound health monitoring	N.A
	Encrypted communication between safe and alarm panel (at least AES-128 bit)	N.A
	Distance of Alarm panel from safe	N.A
	Method to Arm / Disarm	N.A
	Alarm panel alerts for Burglary attempt	NO
	Alarm panel alerts for Panel tempering	NO
	Wireless sensor communication using unlicensed band carrier frequencies	N.A
	Number of Telephone numbers that can be programmed to receive alarm alerts in the form of voice and / or sms	N.A
	Anti Fishing mechanism for coin slot	NO
	Snap shut mechanism for drawer	NO
	Bolt - Detent mechanism for main door	NO

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	Material for Internal cabinet	Steel
	Material for external cabinet	Steel
	Door material	Steel
	Shelves material	Steel
	Handle material	Mild steel powder coated
	Type of main lock	6 lever dual control
	Type of secondary lock	No secondary lock
	Number of locks	1
	Depository Drawer lock	N.A
DIMENSION	Inside height of safe ±10mm	720 mm
	Inside Width of safe ±10mm	530 mm
	Inside Depth of safe ±10mm	355 mm
	External height of safe ±10mm	764 mm
	External Width of safe ±10mm	535 mm
	External Depth of safe ±10mm	510 mm
	Inside Height of Top drawer	N.A
PACKING AND MARKING	Packing	Corrugated sheet packing
	Marking	N.A
	Marking of key	Conforming to cl. 13.2 of IS 14562/latest
	Surface Finishing	Conforming to cl. 12.1 of IS 14562/latest
WARRANTY	Warranty periods	1-year

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manish Vilas Sawant	400051,MMRC TRANSIT OFFICE BUILDING, A WING E BLOCK NORTH SIDE OF CITY PARK BEHIND INCOME TAX OFFICE BANDRA KURLA COMPLEX BANDRA EAST MUMBAI 400051	6	45

Steel Filing Cabinets For General Office Purpose (V2) As Per IS 3313 (6 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriovfc2drawerfilingcabinet

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of steel filing cabinets	Two - drawer type
	Type of drawer suspension	Ball-slide
MATERIAL	Steel sheet material	Cold-reduced carbon steel sheet conforming to CR0 grade of IS 513:2016 (with the latest amendment)
	Cradle strips material	Not Applicable
LOCKS	Lock type	CAM lock
DIMENSION	Overall height from finished floor level to top of the cabinet including pedestal	710 mm (for two drawer types)
COLOUR AND FINISH	Product colour	Grey
	Finish with	Epoxy polyester powder coated to the thickness of 50(+/-10)microns
TESTING AND CERTIFICATION	BIS marked	No
	Availability of test reports from AHSP /NABL /ILAC accredited or Central Government Lab to prove the conformity of products to the specification	No
	Test reports to be furnished to buyer on demand, if claimed to be available	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Manish Vilas Sawant	400051,MMRC TRANSIT OFFICE BUILDING, A WING E BLOCK NORTH SIDE OF CITY PARK BEHIND INCOME TAX OFFICE BANDRA KURLA COMPLEX BANDRA EAST MUMBAI 400051	6	45

Steel Bookcases Confirming To IS 7761 (V2) (12 pieces) (Under PAC)

Make	godrejinterio
Model	godrej2drbookcasewdtop940hx914wx320d

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / [As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS AND CERTIFICATIONS	Governing Standard	Conformity to IS 7761
MATERIAL AND FINISH REQUIREMENTS	Mild Steel Sheets	Grade 0 of IS 513

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manish Vilas Sawant	400051,MMRC TRANSIT OFFICE BUILDING, A WING E BLOCK NORTH SIDE OF CITY PARK BEHIND INCOME TAX OFFICE BANDRA KURLA COMPLEX BANDRA EAST MUMBAI 400051	12	45

Steel Shelving Cabinets (Adjustable Type) Confirming To IS 3312 (V3) (47 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriostorwelplainwelded

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS AND CERTIFICATIONS	Governing Standard	Conformity to IS 3312
GENERIC	Types of Shelving Cabinets	Large
DIMENSIONS AND TOLERANCES	Overall Dimension of Shelving Cabinets excluding pedestal height (Format: Height X Width X Depth) (Tolerance: ± 10 mm)	1855 mm X 910 mm X 480 mm

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manish Vilas Sawant	400051,MMRC TRANSIT OFFICE BUILDING, A WING E BLOCK NORTH SIDE OF CITY PARK BEHIND INCOME TAX OFFICE BANDRA KURLA COMPLEX BANDRA EAST MUMBAI 400051	47	45

Steel Shelving Cabinets (Adjustable Type) Confirming To IS 3312 (V3) (16 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriowldminorplain1270hx765wx440d

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS AND CERTIFICATIONS	Governing Standard	Conformity to IS 3312
GENERIC	Types of Shelving Cabinets	Small
DIMENSIONS AND TOLERANCES	Overall Dimension of Shelving Cabinets excluding pedestal height (Format: Height X Width X Depth) (Tolerance: ± 10 mm)	1150 mm X 760 mm X 430 mm

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Manish Vilas Sawant	400051,MMRC TRANSIT OFFICE BUILDING, A WING E BLOCK NORTH SIDE OF CITY PARK BEHIND INCOME TAX OFFICE BANDRA KURLA COMPLEX BANDRA EAST MUMBAI 400051	16	45

Special terms and conditions-Version:1 effective from 25-06-2024 for category Office Chair (V3)

1.

Special Terms and Conditions

1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional

- parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
4. Sellers are advised to check the complete bid document while offering their prices.

Special terms and conditions-Version:1 effective from 18-06-2024 for category Revolving Chair (V4)

1.

Special Terms and Conditions

1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
4. Sellers are advised to check the complete bid document while offering their prices.

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 % of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

4. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

As per the ATC

.
. .
. .
. .
. .

5. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

6. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

7. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

8. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

9. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

10. **Forms of EMD and PBG**

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

Mumbai Metro Rail Corporation Limited

Account No.

35160137534

IFSC Code

SBIN000300

Bank Name

State Bank Of India

Branch address

MUMBAI MAIN BRANCH MUMBAI SAMACHAR MARG HORNIMAN CIRCLE. FORT MUMBAI, MAHARASHTRA 400 001

. Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

11. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

Mumbai Metro Rail Corporation Limited

Account No.

35160137534

IFSC Code

SBIN000300

Bank Name

State Bank Of India

Branch address

MUMBAI MAIN BRANCH MUMBAI SAMACHAR MARG HORNIMAN CIRCLE. FORT MUMBAI, MAHARASHTRA 400 001

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent

Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाही का आधार होगा।

---Thank You/धन्यवाद---