

①

F.No-19-130/2015-IA.III
Government of India
Ministry of Environment, Forest & Climate Change
(IA.III Division)

21/11/15 213/15 24/11/15
Annexure-IV


Indira Paryavaran Bhawan,
Jor Bagh Road,
New Delhi-110 003
Email: yogendra78@nic.in
Telefax: 011-24695365

Dated: 20.11.2015

Sub:- Mumbai Metro Line-3 (Colaba-Bandra-S (Colaba-Bandra- SEEPZ) project - clarification from environment point of view -reg.

This is with reference to the D.O. letter dated 09.10.2015 on the above mentioned subject.

2. it is informed that the Metro Rail projects are not covered under the EIA, Notification (EIA), 2006.
3. If any construction is proposed within CRZ area, clearance shall be obtained under the CRZ, Notification, 2011. Any construction within CRZ-I shall be on stilts. Maintenance and repair activities (industrial activities) are not permissible within CRZ.
4. In case the project involves forest land, prior forest clearance under the Forest (Conservation), Act, 1980 would be required


(Yogendra Pal Singh)
Scientist 'D'/Joint Director (IA)

**Shri Ashwini Bhide, IAS
Managing Director,
Mumbai Metro Rail Corporation Limited.
MMRDA Building, BKC, Bandra (E), Mumbai-400 051**

checked by Sreedhar
1.11.15